



PROGENY PERFORMANCE REPORT

COHORT 12



Acknowledgments:

Angus Australia thanks the following organisations for their support of the Angus Sire Benchmarking Program (ASBP):

Co-Funding Partner

Meat and Livestock Australia

Industry Partners

Rangers Valley

Stockyard Beef - Kerwee Lot Feeders

John Dee Abattoir

University of New England (UNE)

Vetoquinol

Zoetis Animal Genetics

Neogen Australasia

Co-operator Cow Herds

Brad and Marg Gilmour, Boorcan, VIC.

Rob and Sally Bulle, Ardrossan, Holbrook, NSW.

Hugh Munro, Glenroy, Gravesend, NSW.

Roger and GERALYN Flower, Myola, Black Mountain, NSW.

John O'Brien & Trevor Nash, Stradbroke Pastoral, Yarralee, Coolah, NSW.

Rob Dugdale and Jeff Richie, Springmount, Black Mountain, NSW.

Richard and Ruth Puddicombe, Burindi, Barraba, NSW.

Shaun Uebergang, Pearsby Hall, Delungra, NSW.

Stephen and Amity Chase, Waitara, Trangie, NSW.

NSW DPI, Trangie Agricultural Research Centre, Trangie, NSW.

NSW DPI, Glen Innes Research Station, Glen Innes, NSW.

University of Sydney, Nowley, Spring Ridge, NSW.

David and Pia Butcher, Woorak, Bundarra, NSW.

Bruce and Anna Allworth, Holbrook, NSW.

James Stephens, Charles Sturt University, Wagga Wagga, NSW.

Douglas Lithgow, Swanpool, VIC.

CSIRO, Chiswick Research Station, Armidale, NSW.

John Murdoch, Bibbenluke, NSW.

Michael Rogers, Aberaldie, NSW.

Keith Soames, Dungog, NSW.

Jamie and Sally Andrews, Gloucester, NSW.

Bull Owners and Nominators

Angus Australia thanks the numerous bull owner and nominators that have entered the ASBP. For sire ownership details please refer to the Angus Australia website (www.angusaustralia.com.au).

Data Analysis Support

Animal Genetics and Breeding Unit (AGBU), University of New England, Armidale, NSW. Agricultural Business Research Institute (ABRI-BREEDPLAN), Armidale, NSW.



Angus Sire Benchmarking Program

The Angus Sire Benchmarking Program (ASBP) is a major initiative of Angus Australia with support from Meat & Livestock Australia (MLA) and industry partners such as Vetoquinol, Rangers Valley Feedlot and John Dee Abattoir.

The major objective of the ASBP is to:

“Grow the phenotype and genotype reference population with contemporary Australian Angus animals, particularly on hard-to-measure traits, for enhanced genetic evaluation, collaborative research and innovative development.”

To meet the project objectives Angus Australia aims to join an average of 25-35 sires a year to approximately 1,800 Angus cows to achieve a minimum of 25 progeny (50:50 steers and heifers) per sire using a fixed time AI program. The Angus cows are located across several commercial cooperator herds located in New South Wales and Victoria.

The Angus sires that enter the ASBP are nominated by Angus Australia members. Before entering the program the sires are assessed for a range of factors such as genetic diversity, genetic condition status, EBVs and selection index values. Once the progeny are born they are comprehensively performance recorded for calving ease, growth, temperament, heifer reproduction, structure, feed efficiency, abattoir carcase and beef quality attributes.

ASBP Progeny Performance Report

The ASBP Progeny Performance report includes two sections to assist with assessment of the genetic merit of the ASBP sires, being:

1. **Trans-Tasman Angus Cattle Evaluation (TACE) Sire Listing** – The first section includes the Angus EBVs and Selection Indexes from the noted monthly analysis.
For selection purposes it is strongly advised that the EBVs and selection indexes be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.
2. **ASBP Progeny Performance Listing** – The second section includes progeny average values and rankings for a range of traits recorded within the ASBP. This listing provides an indication on how the sire's are performing within the ASBP. *The values listed can only be validly used to compare sires within each cohort of the ASBP.*

Each section includes introductory notes to assist with the interpretation of the information listed.

Contact – For further questions on the ASBP contact Liam Mowbray, Research & Development Specialist - Genetic Improvement, Angus Australia on phone: 0436 406 140 or email: liam.mowbray@angusaustralia.com.au

Further information on the ASBP is listed on the Angus Australia website www.angusaustralia.com.au

READING THE ASBP SIRE LISTING - TACE EBVs and SELECTION INDEXES

Ident	Name	Statistics			Estimated Breeding Values																							
					Calv-Ease		Birth		Growth				Fert		Carcase				Feed Temp		Structural		Selection Index					
					Dir	Dtrs	GL	BW	200	400	600	MCW	Milk	SS	DC	CW	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L
USA17960722	BALDRIDGE BEAST MODE B074				+6.6	+8.2	-3.6	+3.6	+77	+123	+149	+131	+9	+2.8	-4.4	+82	+3.2	-2.5	-4.5	-0.3	+2.6	-0.23	+34	+0.54	+0.54	+0.78	\$277	\$452
USA16295688	HBR	234	5069	1679	95%	82%	99%	99%	99%	99%	99%	97%	96%	98%	65%	94%	92%	92%	92%	88%	91%	77%	98%	98%	98%	97%		
USA17149410					17	5	66	36	1	1	4	9	92	21	44	13	87	89	96	75	32	16	7	4	1	2	2	1

Animal Details

Ident: Animal ident
 Name: Animal name
 Sire: Ident of animal's sire
 Dam: Ident of animal's dam
 Reg.: Registration status
 Num Herd: Number of herds in which the animal has progeny recorded with Angus Australia
 Prog: Number of progeny recorded with Angus Australia
 Prog 2Yr: Number of progeny recorded with Angus Australia that are born in the past 2 years

EBVs & Selection Indexes

Dir	Calving Ease Direct	P8	Rump Fat
Dtrs	Calving Ease Daughters	RBY	Retail Beef Yield
GL	Gestation Length	IMF	Intramuscular Fat
BW	Birth Weight	NFI-F	Net Feed Intake (Feedlot)
200	200 Day Growth	DOC	Docility
400	400 Day Weight	Claw	Claw Set
600	600 Day Weight	Angle	Foot Angle
MCW	Mature Cow Weight	Leg	Leg Angle
Milk	Milk	\$A	Angus Breeding Index
SS	Scrotal Size	\$A-L	Angus Breeding Low Feed Cost Index
DC	Days to Calving		
CW	Carcase Weight		
EMA	Eye Muscle Area		
RIB	Rib Fat		

For each EBV, the EBV is published on the top row, followed by the accuracy of the EBV on the second row, followed by the percentile band in which the EBV ranks on the bottom row. For each selection index, the selection index is published on the top row, with the percentile band in which the selection index ranks on the bottom row. Accuracy values are not published for selection indexes.



Angus Australia - Sire Benchmarking Program - Cohort 12

Mid May 2024 TransTasman Angus Cattle Evaluation

Sire Dam	Name	Statistics				Estimated Breeding Values																						
		Reg.	Num Herd	Prog	Prog 2Yr.	Calv-Ease		Birth		Growth				Fert		Carcase				Feed	Temp	Structural			Selection Index			
						Dir	Dtrs	GL	BW	200	400	600	MCW	Milk	SS	DC	CW	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A
DGJQ30 WWEL3 DGJK117	ALLOURA QUINELLA Q30 ^{SV} HBR	7	53	53	+2.3	+1.7	+0.5	+3.0	+54	+99	+117	+122	+15	+3.3	-7.6	+73	+13.9	+0.7	+0.9	+1.1	+4.4	+0.37	+15	+0.96	+1.04	+1.16	\$270	\$450
NAQQ67 NMMN334 NAQL96	ARDROSSAN NECTAR Q67 ^{PV} HBR	6	197	178	+3.6	+4.1	-9.0	+3.8	+56	+102	+132	+125	+13	+3.0	-6.4	+57	+7.1	+0.3	-0.6	+0.2	+3.2	+0.10	+43	+0.38	+0.86	+1.08	\$233	\$412
VONN462 VONJ507 VONK224	BANQUET NUTTELLA N462 ^{PV} HBR	12	315	160	-3.1	+3.5	-4.4	+6.8	+55	+103	+137	+108	+24	+3.5	-4.1	+71	+2.7	+0.6	-0.9	+0.0	+0.8	-0.23	+54	+0.58	+0.92	+0.80	\$173	\$311
NGXQ227 VLYM518 NGXN221	BONGONGO BE QUICK Q227 ^{PV} HBR	13	182	111	+3.0	+1.4	-4.2	+3.2	+51	+93	+113	+65	+24	+3.9	-5.9	+54	+11.6	+0.7	+3.6	+0.0	+5.4	+1.11	+19	+0.64	+1.04	+1.12	\$277	\$412
NGMQ5 NORL519 NGMK720	BOOROOMOOKA QUALITY Q5 ^{SV} HBR	6	26	25	+3.5	+7.8	-6.3	+3.7	+56	+105	+145	+136	+19	+2.3	-4.7	+80	-3.1	+1.0	+2.2	-1.8	+6.0	+0.06	+35	+0.82	+0.92	+1.10	\$209	\$393
GTNQ322 USA18636106 GTNL198	CHILTERN PARK QUADRANT Q322 ^{PV} HBR	14	321	249	+6.1	+3.8	-2.5	+3.1	+62	+116	+145	+107	+20	+4.4	-5.5	+85	+11.4	-0.5	-0.7	+0.2	+4.1	+0.98	+5	+1.16	+1.14	+1.02	\$280	\$458
USA19611994 USA18467508 USA18974126	DB ICONIC G95 ^{PV} HBR	21	134	106	+3.7	+7.9	-2.9	+3.0	+66	+122	+151	+145	+16	+3.2	-3.5	+85	+7.2	+0.2	-0.8	-0.4	+4.3	+0.20	+40	+1.18	+1.02	+0.88	\$240	\$437
USA18217198 USA17354178 USA16934264	G A R ASHLAND ^{PV} HBR	129	2900	238	+1.4	+2.2	-6.0	+3.2	+67	+116	+146	+118	+14	+1.4	-2.7	+79	+11.8	-3.0	-2.2	+0.9	+3.1	+0.13	+10	+1.24	+1.12	+0.86	\$258	\$418
DKKQ110 NORK522 DKKM33	HARDHAT K522 KODAK M33 Q110 ^{SV} HBR	5	37	33	+3.3	+8.8	-6.7	+2.4	+48	+84	+112	+103	+16	+2.8	-7.6	+50	+9.5	-0.7	-2.8	+1.1	+3.5	+0.02	+7	+0.66	+0.68	+0.68	\$237	\$401
NHZQ1229 NHZF1023 NHZJ823	HAZELDEAN Q1229 ^{PV} APR	8	356	338	+1.0	+4.2	-3.7	+3.8	+56	+102	+124	+76	+20	+4.6	-6.9	+77	+9.2	-1.6	-1.9	+0.4	+4.5	+0.93	+26	+0.66	+0.94	+0.98	\$273	\$418
NHZQ319 NHZM586 NHZL1175	HAZELDEAN Q319 ^{PV} APR	5	224	221	+4.7	+9.4	-8.8	+2.9	+53	+104	+142	+139	+18	+3.2	-11.6	+77	+5.7	+1.8	+0.4	-0.5	+4.3	+0.54	+30	+0.88	+1.06	+1.14	\$270	\$487
NZE13300018 WWEL3 NZE13300116373	KAKAHU PIVOTAL 18004 ^{PV} HBR	6	177	113	+3.7	+2.1	-7.5	+4.0	+55	+102	+119	+68	+27	+3.7	-7.3	+78	+8.9	+0.4	+0.3	+0.5	+4.2	+0.72	+0	+0.76	+0.92	+1.06	\$290	\$433
VLYR1549 USA18217198 VLYP251	LAWSONS ASHLAND R1549 ^{SV} HBR	5	38	31	-3.3	-3.3	-6.5	+3.7	+61	+106	+138	+116	+14	+0.2	+0.1	+84	+15.4	-1.7	-1.2	+1.0	+3.9	+0.46	+20	+1.14	+1.04	+0.78	\$216	\$344
VLYQ44 VLYM518 VLYK914	LAWSONS MIRACULOUS Q44 ^{PV} HBR	13	174	58	+4.0	-2.5	-7.3	+3.7	+49	+89	+109	+102	+9	+3.1	-3.3	+46	+20.9	+0.5	+0.5	+2.0	+2.5	+0.27	+38	+0.94	+0.90	+0.98	\$233	\$378
VLYP316 USA16295688 VLYM527	LAWSONS PROPHET P316 ^{PV} HBR	6	128	89	+5.8	+5.3	-2.4	+3.3	+58	+89	+105	+63	+17	+0.3	-4.2	+69	+10.5	-4.1	-4.0	+1.6	+3.9	+0.40	+29	+0.62	+0.72	+0.82	\$277	\$403
Breed Average EBVs					+1.7	+2.7	-4.4	+4.0	+51	+92	+119	+102	+17	+2.2	-4.6	+67	+6.4	-0.1	-0.3	+0.5	+2.3	+0.22	+20	+0.84	+0.97	+1.03	+201	+345



Angus Australia - Sire Benchmarking Program - Cohort 12

Mid May 2024 TransTasman Angus Cattle Evaluation

Sire Dam	Name	Statistics			Estimated Breeding Values																							
		Reg.	Num Herd	Prog	Prog 2Yr.	Calv-Ease		Birth		Growth				Fert		Carcase				Feed	Temp	Structural			Selection Index			
						Dir	Dtrs	GL	BW	200	400	600	MCW	Milk	SS	DC	CW	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A
EGRQ53 USA18463791 EGRG2	MOSQUITO CREEK QUALITY Q53 ^{SV} HBR	6	49	33	+8.2	+9.3	-6.2	+0.4	+59	+105	+136	+109	+28	+1.6	-5.6	+80	+0.1	-0.4	-1.9	-0.4	+1.9	-0.29	+31	+1.08	+1.16	+1.12	\$219	\$395
					74%	59%	93%	93%	91%	90%	90%	85%	77%	85%	48%	79%	79%	79%	79%	73%	80%	81%	85%	81%	82%	76%		
					6	2	23	3	16	16	18	38	2	69	27	17	97	56	76	90	58	8	14	89	87	76	32	17
SMPQ1357 NORL519 SMPM18	PATHFINDER QUEST Q1357 ^{PV} HBR	10	89	74	-3.3	+0.2	-6.5	+5.4	+63	+116	+162	+174	+17	+1.7	-5.1	+83	+5.4	-1.9	-3.1	+0.9	+3.4	+0.16	+30	+0.88	+0.68	+1.12	\$212	\$402
					76%	67%	94%	95%	93%	92%	92%	87%	79%	86%	57%	80%	80%	81%	81%	75%	81%	81%	88%	84%	84%	80%		
					87	78	20	79	8	4	2	1	53	66	38	12	61	85	89	24	22	44	16	58	3	76	40	13
WQCQ47 VLYM518 VLYM1690	QUANDEN SPRINGS QUICKSILVER HBR	6	53	33	+9.6	+7.5	-9.3	-0.7	+50	+98	+130	+118	+29	+5.0	-5.1	+48	+11.2	+1.7	+1.5	+0.3	+2.9	-0.20	+26	+1.06	+1.10	+1.06	\$223	\$407
					76%	66%	91%	92%	91%	90%	90%	86%	78%	85%	54%	80%	80%	80%	80%	74%	81%	78%	88%	82%	84%	78%		
					2	9	3	1	53	33	26	26	1	2	38	93	8	15	20	60	32	12	26	87	78	59	28	11
NORQ1081 NORH708 NORL841	RENNYLEA Q1081 ^{PV} APR	5	54	45	-2.5	+5.1	-3.8	+4.0	+50	+90	+116	+104	+12	+3.4	-5.6	+50	+9.9	+0.1	-1.3	+0.7	+6.4	+0.78	+13	+0.86	+0.88	+0.90	\$241	\$388
					76%	66%	92%	93%	92%	91%	91%	87%	80%	87%	58%	81%	82%	82%	82%	77%	83%	80%	89%	86%	87%	82%		
					83	28	60	50	52	56	56	46	85	13	27	91	14	44	67	35	1	94	81	54	28	14	13	21
NZE21159019 USA18217198 NZE21159117053	SEVEN HILLS 312/19 ^{PV} HBR	4	43	42	+1.7	+4.7	-7.5	+3.4	+52	+94	+120	+90	+20	-0.9	-1.8	+69	+7.8	-4.3	-5.2	+0.9	+3.9	+1.27	+5	+1.06	+0.96	+1.04	\$207	\$333
					76%	64%	93%	92%	90%	89%	91%	86%	78%	81%	50%	79%	79%	80%	80%	74%	80%	81%	86%	86%	86%	81%		
					56	33	11	36	45	43	48	69	30	99	95	43	32	99	98	24	15	99	95	87	47	53	45	63
APBR5 TFAK132 HBUP80	SHACORRAHDALU ROYALE R5 ^{PV} HBR	11	82	80	+7.7	+7.3	-6.8	+2.1	+48	+93	+113	+66	+24	+2.5	-7.0	+68	+9.2	+3.3	+4.1	+0.3	+3.3	+1.04	+11	+0.82	+1.08	+0.72	\$279	\$432
					76%	65%	93%	94%	92%	90%	90%	85%	78%	85%	53%	79%	79%	79%	79%	73%	79%	79%	87%	87%	86%	81%		
					8	10	17	14	65	48	63	93	9	36	8	47	19	4	4	60	24	99	84	45	74	1	1	4
VTMN1387 VTMK138 VTML452	TE MANIA NEON N1387 ^{SV} HBR	13	474	255	-0.2	+4.0	-6.0	+3.6	+48	+87	+108	+96	+19	+1.4	-8.3	+49	+2.3	-0.1	-1.7	-1.6	+9.0	-0.04	+25	+0.74	+0.82	+1.02	\$232	\$382
					81%	69%	98%	98%	97%	97%	96%	94%	87%	95%	58%	89%	89%	87%	89%	81%	88%	83%	97%	96%	96%	95%		
					71	41	26	41	63	65	74	60	36	76	2	91	90	48	73	99	1	23	30	28	17	46	19	24
VTMQ854 USA18229488 VTML1244	TE MANIA QUEBEC Q854 ^{SV} HBR	12	451	354	+8.4	+3.4	-2.6	+1.4	+53	+93	+122	+80	+26	+1.3	-3.0	+61	+4.6	+0.7	+2.2	-0.4	+4.0	+0.66	+28	+0.64	+0.80	+0.74	\$228	\$366
					85%	67%	98%	98%	97%	97%	95%	91%	82%	95%	51%	82%	85%	83%	83%	77%	83%	84%	97%	95%	95%	93%		
					5	47	77	8	40	47	43	82	4	79	84	69	71	31	13	90	13	89	20	13	14	2	23	37
Breed Average EBVs					+1.7	+2.7	-4.4	+4.0	+51	+92	+119	+102	+17	+2.2	-4.6	+67	+6.4	-0.1	-0.3	+0.5	+2.3	+0.22	+20	+0.84	+0.97	+1.03	+201	+345



UNDERSTANDING THE ASBP SIRE LISTING - PROGENY PERFORMANCE

This listing provides an indication on how the sires are performing within the ASBP. *The values listed can only be validly used to compare sires within each cohort of the ASBP.*

For selection purposes it is strongly advised that the EBVs and selection indexes listed in section 1 of the report be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.

Interpreting the ASBP Progeny Performance Listing

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ABBOTT PERFORMER E32	ESTE32	17	467.8	1
ABERDEEN ESTATE EXCITE E21	AHWE21	7	444.1	19
ANVIL ENFORCER E183	HBUE183	14	452.8	7
ARDROSSAN EXACT E162	NAQE162	12	449.5	11
ARDROSSAN FAIRFAX F21	NAQF21	9	437.8	28
AYRVALE BARTEL E7	HIOE7	17	455.0	5
BALMORAL HIGHLINE FC126	DFC126	3	439.7	13

Number of progeny = Number of progeny the sire has recorded for the specified trait. This excludes any progeny in single animal contemporary groups.

Progeny Average = The average performance of this sire's progeny for the specified trait in the ASBP. The average is calculated using adjusted data (i.e. the standard adjustments for the age of the progeny and age of the dams). It is calculated using a least squares means (LSM) model which takes into account herd and contemporary group.

Rank = The ranking position of the sire within the specified cohort. The ranking order will depend on the trait. E.g. 200 Day weight ranked in descending order, while birth weight is ranked in ascending order.

The lists are sorted on sire name for the specified cohort.

The date the progeny performance values were produced is listed in the bottom left hand margin of the report. The reports will be regularly updated as further ASBP data is recorded and analysed.

Progeny Performance Traits and Interpretation

Separate sections for the following traits are included in the ASBP Progeny Performance listing:

Birth Weight: Weight of birth in kilograms recorded on both steer and heifer progeny. Sires are ranked in ascending order with lower values indicating lighter birth weight.

Gestation Length: Length of gestation in days recorded on both steer and heifer progeny. Sires are ranked in ascending order with lower values indicating shorter gestation length.



200 Day Weight: Weight at 200 days (i.e. weaning weight) in kilograms recorded on both steer and heifer progeny. Sires are ranked in descending order with higher values indicating more weight.

400 Day Weight: Weight at 400 days (i.e. yearling weight) in kilograms recorded on both steer and heifer progeny. Sires are ranked in descending order with higher values indicating more weight.

600 Day Weight: Weight at 600 days (i.e. 18 month weight) in kilograms recorded on both steer and heifer progeny. Sires are ranked in descending order with higher values indicating more weight.

Days to Calving: Length of days from bull introduction (i.e. bull in date) to calving. This is recorded on the heifer progeny for their first joining as yearlings. Sires are ranked in ascending order with lower values indicating shorter days to calving and improved female reproduction.

Scan Eye Muscle Area (EMA): Eye muscle area in cm² from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating larger eye muscle area.

Scan Rib Fat: Rib fat in mm from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating more fat over the ribs.

Scan Rump Fat: Rump (i.e. P8) fat in mm from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating more fat over the rump.

Scan Intramuscular Fat (IMF): Percentage of Intramuscular fat from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating more intramuscular fat.

Carcase Weight: Weight of the hot standard carcass in kilograms at a standard 750 days of age recorded on steer progeny. Sires are ranked in descending order with higher values indicating more carcass weight.

Carcase Eye Muscle Area (EMA): Eye muscle area in cm² in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating larger eye muscle area.

Carcase Rump Fat: Subcutaneous fat measurement in mm at the P8 rump site in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating more rump fat.

Carcase Rib Fat: Subcutaneous fat measurement in mm at the 12th and 13th Rib site in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating more rib fat.

Carcase Intramuscular Fat (IMF): Percentage of Intramuscular fat (by near infrared spectrophotometry or NIR at the UNE meat science laboratory) in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating more intramuscular fat.

Net Feed Intake (NFI): Feed intake at a standard weight and rate of weight gain recorded on steer progeny at Tullimba Research Feedlot. NFI is expressed as kilograms of feed intake per day. Sires are ranked in ascending order with lower values indicating better feed efficiency through less feed intake for a standard weight and rate of gain.

Meat Standards Australia (MSA) Marbling Score: Marbling score recorded by the Meat Standards Australia (MSA) grader in the chiller on steer progeny based on a standard 400 kg carcass. Sires are ranked in descending order with higher values indicating more marbling in the carcass.

Meat Standards Australia (MSA) Ossification: Ossification score recorded by the Meat Standards Australia (MSA) grader in the chiller on steer progeny. Sires are ranked in ascending order with lower values indicating younger physiological maturity.

Meat Standards Australia (MSA) Index: The MSA Index is an indication of the overall eating quality of beef from the carcass as influenced by a range of factors such as marbling score and ossification. It is generated for steer progeny from the ASBP based on MSA grading data in the chiller. Sires are ranked in ascending order with higher values indicating higher eating quality.

Shear Force: Shear Force is a measurement in the kilograms of the force required to pull a mechanical blade through a piece of cooked beef from the striploin sample of the ASBP steer progeny. It is measured through the UNE meat science laboratory. Sires are ranked in ascending order with lower values indicating less shear force and more tender beef.



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Birth Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	28	34.6	9
ARDROSSAN NECTAR Q67	NAQQ67	25	34.7	11
BANQUET NUTTELLA N462	VONN462	16	37.2	23
BONGONGO BE QUICK Q227	NGXQ227	30	35.1	16
BOOROOMOOKA QUALITY Q5	NGMQ5	26	35.3	17
CHILTERN PARK QUADRANT Q322	GTNQ322	30	35.0	15
DB ICONIC G95	USA19611994	37	34.1	6
G A R ASHLAND	USA18217198	24	34.9	14
HARDHAT K522 KODAK M33 Q110	DKKQ110	30	33.8	4
HAZELDEAN Q1229	NHZQ1229	30	34.3	7
HAZELDEAN Q319	NHZQ319	29	34.5	8
KAKAHU PIVOTAL 18004	NZE13300018004	34	34.6	9
LAWSONS ASHLAND R1549	VLYR1549	28	35.4	18
LAWSONS MIRACULOUS Q44	VLYQ44	25	33.7	3
LAWSONS PROPHET P316	VLYP316	17	35.4	18
MOSQUITO CREEK QUALITY Q53	EGRQ53	26	33.1	2
PATHFINDER QUEST Q1357	SMPQ1357	34	34.7	11
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	24	32.8	1
RENNYLEA Q1081	NORQ1081	22	35.4	18
SEVEN HILLS 312/19	NZE21159019312	25	35.9	21
SHACORRAHDALU ROYALE R5	APBR5	29	34.8	13
TE MANIA NEON N1387	VTMN1387	31	36.2	22
TE MANIA QUEBEC Q854	VTMQ854	36	33.8	4



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Gestation Length (days)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	21	281.9	23
ARDROSSAN NECTAR Q67	NAQQ67	18	275.7	1
BANQUET NUTTELLA N462	VONN462	10	278.9	10
BONGONGO BE QUICK Q227	NGXQ227	22	280.5	19
BOOROOMOOKA QUALITY Q5	NGMQ5	20	278.5	7
CHILTERN PARK QUADRANT Q322	GTNQ322	18	281.1	20
DB ICONIC G95	USA19611994	26	280.0	17
G A R ASHLAND	USA18217198	21	278.3	4
HARDHAT K522 KODAK M33 Q110	DKKQ110	19	278.7	8
HAZELDEAN Q1229	NHZQ1229	19	280.2	18
HAZELDEAN Q319	NHZQ319	22	277.1	2
KAKAHU PIVOTAL 18004	NZE13300018004	22	278.9	10
LAWSONS ASHLAND R1549	VLYR1549	18	278.8	9
LAWSONS MIRACULOUS Q44	VLYQ44	20	279.3	14
LAWSONS PROPHET P316	VLYP316	11	281.6	22
MOSQUITO CREEK QUALITY Q53	EGRQ53	17	278.4	6
PATHFINDER QUEST Q1357	SMPQ1357	24	279.3	14
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	17	277.8	3
RENNYLEA Q1081	NORQ1081	19	278.9	10
SEVEN HILLS 312/19	NZE21159019312	17	278.3	4
SHACORRAHDALU ROYALE R5	APBR5	16	278.9	10
TE MANIA NEON N1387	VTMN1387	22	279.4	16
TE MANIA QUEBEC Q854	VTMQ854	22	281.5	21



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - 200 Day Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	24	241.2	4
ARDROSSAN NECTAR Q67	NAQQ67	26	234.9	15
BANQUET NUTTELLA N462	VONN462	14	245.5	1
BONGONGO BE QUICK Q227	NGXQ227	26	232.3	20
BOOROOMOOKA QUALITY Q5	NGMQ5	23	234.4	17
CHILTERN PARK QUADRANT Q322	GTNQ322	26	235.9	11
DB ICONIC G95	USA19611994	36	240.4	5
G A R ASHLAND	USA18217198	23	238.0	8
HARDHAT K522 KODAK M33 Q110	DKKQ110	28	232.4	19
HAZELDEAN Q1229	NHZQ1229	26	242.1	3
HAZELDEAN Q319	NHZQ319	30	235.0	14
KAKAHU PIVOTAL 18004	NZE13300018004	32	235.4	13
LAWSONS ASHLAND R1549	VLYR1549	27	243.8	2
LAWSONS MIRACULOUS Q44	VLYQ44	22	227.5	22
LAWSONS PROPHET P316	VLYP316	15	237.1	9
MOSQUITO CREEK QUALITY Q53	EGRQ53	23	239.0	7
PATHFINDER QUEST Q1357	SMPQ1357	33	234.6	16
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	22	239.2	6
RENNYLEA Q1081	NORQ1081	23	236.3	10
SEVEN HILLS 312/19	NZE21159019312	23	233.3	18
SHACORRAHDALU ROYALE R5	APBR5	26	230.5	21
TE MANIA NEON N1387	VTMN1387	27	225.1	23
TE MANIA QUEBEC Q854	VTMQ854	36	235.8	12



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - 400 Day Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	11	379.2	12
ARDROSSAN NECTAR Q67	NAQQ67	10	378.2	14
BANQUET NUTTELLA N462	VONN462	4	390.9	3
BONGONGO BE QUICK Q227	NGXQ227	12	373.3	18
BOOROOMOOKA QUALITY Q5	NGMQ5	8	388.2	4
CHILTERN PARK QUADRANT Q322	GTNQ322	11	381.5	9
DB ICONIC G95	USA19611994	15	374.2	17
G A R ASHLAND	USA18217198	11	382.0	8
HARDHAT K522 KODAK M33 Q110	DKKQ110	19	360.0	22
HAZELDEAN Q1229	NHZQ1229	10	379.7	11
HAZELDEAN Q319	NHZQ319	12	367.9	19
KAKAHU PIVOTAL 18004	NZE13300018004	14	376.6	15
LAWSONS ASHLAND R1549	VLYR1549	9	383.6	7
LAWSONS MIRACULOUS Q44	VLYQ44	8	363.8	21
LAWSONS PROPHET P316	VLYP316	5	366.4	20
MOSQUITO CREEK QUALITY Q53	EGRQ53	11	396.5	1
PATHFINDER QUEST Q1357	SMPQ1357	15	383.7	6
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	9	374.5	16
RENNYLEA Q1081	NORQ1081	6	393.2	2
SEVEN HILLS 312/19	NZE21159019312	7	384.2	5
SHACORRAHDALU ROYALE R5	APBR5	17	378.9	13
TE MANIA NEON N1387	VTMN1387	13	359.5	23
TE MANIA QUEBEC Q854	VTMQ854	16	380.8	10



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - 600 Day Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	14	575.7	14
ARDROSSAN NECTAR Q67	NAQQ67	8	588.1	7
BANQUET NUTTELLA N462	VONN462	13	589.7	5
BONGONGO BE QUICK Q227	NGXQ227	12	580.2	10
BOOROOMOOKA QUALITY Q5	NGMQ5	10	594.6	2
CHILTERN PARK QUADRANT Q322	GTNQ322	14	593.8	3
DB ICONIC G95	USA19611994	29	578.9	11
G A R ASHLAND	USA18217198	6	588.3	6
HARDHAT K522 KODAK M33 Q110	DKKQ110	17	561.3	21
HAZELDEAN Q1229	NHZQ1229	14	569.2	17
HAZELDEAN Q319	NHZQ319	22	592.5	4
KAKAHU PIVOTAL 18004	NZE13300018004	20	572.6	16
LAWSONS ASHLAND R1549	VLYR1549	20	596.0	1
LAWSONS MIRACULOUS Q44	VLYQ44	7	554.7	22
LAWSONS PROPHET P316	VLYP316	8	565.9	18
MOSQUITO CREEK QUALITY Q53	EGRQ53	11	580.9	9
PATHFINDER QUEST Q1357	SMPQ1357	11	573.4	15
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	12	585.5	8
RENNYLEA Q1081	NORQ1081	19	577.7	12
SEVEN HILLS 312/19	NZE21159019312	22	576.0	13
SHACORRAHDALU ROYALE R5	APBR5	17	565.9	18
TE MANIA NEON N1387	VTMN1387	17	551.0	23
TE MANIA QUEBEC Q854	VTMQ854	21	562.7	20



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Scan EMA (sq cm)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	19	61.6	6
ARDROSSAN NECTAR Q67	NAQQ67	14	61.4	8
BANQUET NUTTELLA N462	VONN462	15	57.7	22
BONGONGO BE QUICK Q227	NGXQ227	17	62.7	4
BOOROOMOOKA QUALITY Q5	NGMQ5	14	60.8	10
CHILTERN PARK QUADRANT Q322	GTNQ322	18	60.9	9
DB ICONIC G95	USA19611994	34	59.3	20
G A R ASHLAND	USA18217198	11	59.4	19
HARDHAT K522 KODAK M33 Q110	DKKQ110	24	63.0	3
HAZELDEAN Q1229	NHZQ1229	17	60.8	10
HAZELDEAN Q319	NHZQ319	27	60.0	16
KAKAHU PIVOTAL 18004	NZE13300018004	31	60.2	14
LAWSONS ASHLAND R1549	VLYR1549	24	63.3	1
LAWSONS MIRACULOUS Q44	VLYQ44	13	63.1	2
LAWSONS PROPHET P316	VLYP316	11	59.9	18
MOSQUITO CREEK QUALITY Q53	EGRQ53	16	59.0	21
PATHFINDER QUEST Q1357	SMPQ1357	21	61.5	7
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	16	60.5	13
RENNYLEA Q1081	NORQ1081	21	60.1	15
SEVEN HILLS 312/19	NZE21159019312	23	60.0	16
SHACORRAHDALU ROYALE R5	APBR5	27	60.6	12
TE MANIA NEON N1387	VTMN1387	21	57.3	23
TE MANIA QUEBEC Q854	VTMQ854	27	62.5	5



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Scan Rib Fat (mm)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	19	5.1	4
ARDROSSAN NECTAR Q67	NAQQ67	14	4.6	11
BANQUET NUTTELLA N462	VONN462	15	5.0	7
BONGONGO BE QUICK Q227	NGXQ227	17	5.4	2
BOOROOMOOKA QUALITY Q5	NGMQ5	14	5.1	4
CHILTERN PARK QUADRANT Q322	GTNQ322	18	5.0	7
DB ICONIC G95	USA19611994	34	3.8	21
G A R ASHLAND	USA18217198	11	4.1	20
HARDHAT K522 KODAK M33 Q110	DKKQ110	24	4.5	14
HAZELDEAN Q1229	NHZQ1229	17	4.6	11
HAZELDEAN Q319	NHZQ319	28	4.9	9
KAKAHU PIVOTAL 18004	NZE13300018004	30	5.4	2
LAWSONS ASHLAND R1549	VLYR1549	24	4.3	18
LAWSONS MIRACULOUS Q44	VLYQ44	13	4.4	15
LAWSONS PROPHET P316	VLYP316	11	4.2	19
MOSQUITO CREEK QUALITY Q53	EGRQ53	15	5.1	4
PATHFINDER QUEST Q1357	SMPQ1357	22	3.7	22
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	16	4.4	15
RENNYLEA Q1081	NORQ1081	21	4.6	11
SEVEN HILLS 312/19	NZE21159019312	24	3.7	22
SHACORRAHDALU ROYALE R5	APBR5	27	5.5	1
TE MANIA NEON N1387	VTMN1387	21	4.4	15
TE MANIA QUEBEC Q854	VTMQ854	27	4.9	9



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Scan Rump Fat (mm)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	19	6.6	1
ARDROSSAN NECTAR Q67	NAQQ67	14	6.0	7
BANQUET NUTTELLA N462	VONN462	15	5.7	11
BONGONGO BE QUICK Q227	NGXQ227	17	6.4	4
BOOROOMOOKA QUALITY Q5	NGMQ5	14	6.6	1
CHILTERN PARK QUADRANT Q322	GTNQ322	18	6.0	7
DB ICONIC G95	USA19611994	33	4.9	19
G A R ASHLAND	USA18217198	11	4.8	21
HARDHAT K522 KODAK M33 Q110	DKKQ110	24	5.5	14
HAZELDEAN Q1229	NHZQ1229	17	5.7	11
HAZELDEAN Q319	NHZQ319	28	5.4	15
KAKAHU PIVOTAL 18004	NZE13300018004	30	6.3	5
LAWSONS ASHLAND R1549	VLYR1549	24	5.2	18
LAWSONS MIRACULOUS Q44	VLYQ44	13	6.0	7
LAWSONS PROPHET P316	VLYP316	11	5.3	17
MOSQUITO CREEK QUALITY Q53	EGRQ53	15	6.3	5
PATHFINDER QUEST Q1357	SMPQ1357	22	4.6	22
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	16	5.8	10
RENNYLEA Q1081	NORQ1081	21	5.4	15
SEVEN HILLS 312/19	NZE21159019312	24	4.3	23
SHACORRAHDALU ROYALE R5	APBR5	27	6.5	3
TE MANIA NEON N1387	VTMN1387	21	4.9	19
TE MANIA QUEBEC Q854	VTMQ854	27	5.7	11



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Scan IMF (%)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	19	7.1	1
ARDROSSAN NECTAR Q67	NAQQ67	14	6.3	9
BANQUET NUTTELLA N462	VONN462	15	5.8	21
BONGONGO BE QUICK Q227	NGXQ227	17	6.8	2
BOOROOMOOKA QUALITY Q5	NGMQ5	14	6.8	2
CHILTERN PARK QUADRANT Q322	GTNQ322	18	6.3	9
DB ICONIC G95	USA19611994	34	6.1	16
G A R ASHLAND	USA18217198	11	6.0	19
HARDHAT K522 KODAK M33 Q110	DKKQ110	24	6.5	6
HAZELDEAN Q1229	NHZQ1229	17	6.4	8
HAZELDEAN Q319	NHZQ319	28	6.2	15
KAKAHU PIVOTAL 18004	NZE13300018004	31	6.6	5
LAWSONS ASHLAND R1549	VLYR1549	24	6.3	9
LAWSONS MIRACULOUS Q44	VLYQ44	13	6.1	16
LAWSONS PROPHET P316	VLYP316	11	6.3	9
MOSQUITO CREEK QUALITY Q53	EGRQ53	16	6.3	9
PATHFINDER QUEST Q1357	SMPQ1357	22	5.5	22
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	16	5.5	22
RENNYLEA Q1081	NORQ1081	21	6.7	4
SEVEN HILLS 312/19	NZE21159019312	23	5.9	20
SHACORRAHDALU ROYALE R5	APBR5	27	6.1	16
TE MANIA NEON N1387	VTMN1387	21	6.5	6
TE MANIA QUEBEC Q854	VTMQ854	27	6.3	9



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Net Feed Intake (kg/day)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ALLOURA QUINELLA Q30	DGJQ30	11	-1.9	9
ARDROSSAN NECTAR Q67	NAQQ67	11	-1.8	12
BANQUET NUTTELLA N462	VONN462	5	-1.9	9
BONGONGO BE QUICK Q227	NGXQ227	12	-0.7	23
BOOROOMOOKA QUALITY Q5	NGMQ5	9	-2.3	3
CHILTERN PARK QUADRANT Q322	GTNQ322	12	-1.5	16
DB ICONIC G95	USA19611994	13	-1.7	13
G A R ASHLAND	USA18217198	9	-1.9	9
HARDHAT K522 KODAK M33 Q110	DKKQ110	18	-2.3	3
HAZELDEAN Q1229	NHZQ1229	14	-1.4	18
HAZELDEAN Q319	NHZQ319	9	-1.4	18
KAKAHU PIVOTAL 18004	NZE13300018004	10	-1.6	14
LAWSONS ASHLAND R1549	VLYR1549	11	-2.0	7
LAWSONS MIRACULOUS Q44	VLYQ44	10	-2.4	2
LAWSONS PROPHET P316	VLYP316	5	-1.0	22
MOSQUITO CREEK QUALITY Q53	EGRQ53	13	-2.1	5
PATHFINDER QUEST Q1357	SMPQ1357	13	-2.1	5
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	7	-2.6	1
RENNYLEA Q1081	NORQ1081	8	-1.5	16
SEVEN HILLS 312/19	NZE21159019312	12	-1.1	21
SHACORRAHDALU ROYALE R5	APBR5	11	-1.3	20
TE MANIA NEON N1387	VTMN1387	14	-2.0	7
TE MANIA QUEBEC Q854	VTMQ854	17	-1.6	14



UNDERSTANDING THE ASBP SIRE LISTING - PROGENY PERFORMANCE II CATEGORICAL TRAITS

This listing provides an indication on how the sires are performing for several categorical (i.e. scored) traits within the ASBP, through their progeny.

For selection purposes it is strongly advised that the TACE EBVs and selection indexes listed in section 1 of the report be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.

Interpreting the ASBP Progeny Performance Listing



Angus Sire Benchmarking Program - Progeny Performance Report Cohort: 8 - Claw Set (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 5-6	Rank
AJC L172	NXOL172	33	36.4	30
ALLOURA LOCK STOCK & BARREL L94	DGJL94	10	40.0	28
BEN NEVIS JUDO J158	NBNJ158	5	60.0	12
BOOROOMOOKA LEROY L173	NGML173	25	44.0	25
BRIDGEWATER STIMULUS K65	BONK065	24	79.2	2
BROOKLANA INFINITY L39	AMQL39	25	52.0	18
CHILTERN PARK MARRIES M3	GTNM3	23	69.6	8

Number of progeny = Number of progeny the sire has recorded within the ASBP for the specified trait.

Progeny % = The percentage of ASBP progeny displaying the desirable score for the specified trait. The scores deemed ideal are listed in traits section below.

Rank = The ranking position (descending order) of the sire within the specified cohort.

The lists are sorted on sire name for the specified cohort. The date the progeny performance values were produced is listed in the bottom left hand margin of the report. The reports will be regularly updated as further ASBP data is recorded and analysed.

Progeny Performance Categorical Traits and Interpretation

Separate sections for the following traits are included in the ASBP Progeny Performance listing:

Dockility: Percentage of progeny displaying a crush dockility score, taken at weaning, of 1 or 1.5 (out of 5). Higher Progeny % values indicate a higher percentage of progeny with desirable temperament.

Claw Set: Percentage of progeny displaying a front feet claw set score, taken around 12 to 18 months of age, of 5 or 6 (out of the 1 to 9 scoring range). Higher Progeny % values indicate a higher percentage of progeny with structure of optimal score for front foot claw set.

Foot Angle: Percentage of progeny displaying a front feet angle score, taken around 12 to 18 months or age, of 5 or 6 (out of the 1 to 9 scoring range). Higher Progeny % values indicate a higher percentage of progeny with structure of optimal score for front feet angle.

Coat Type: Percentage of progeny displaying a coat type score, taken around 12 to 18 months or age, of 1, 1.5 or 2 (out of 7). Higher Progeny % values indicate a higher percentage of slick coated progeny.

Further information on the scoring systems are available from the Angus Education Centre - <https://www.angusaustralia.com.au/education/>



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Docility (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 1-1.5	Rank
ALLOURA QUINELLA Q30	DGJQ30	26	53.8	19
ARDROSSAN NECTAR Q67	NAQQ67	26	73.1	6
BANQUET NUTTELLA N462	VONN462	14	85.7	1
BONGONGO BE QUICK Q227	NGXQ227	30	53.3	20
BOOROOMOOKA QUALITY Q5	NGMQ5	25	60.0	18
CHILTERN PARK QUADRANT Q322	GTNQ322	27	48.1	21
DB ICONIC G95	USA19611994	36	75.0	3
G A R ASHLAND	USA18217198	23	65.2	15
HARDHAT K522 KODAK M33 Q110	DKKQ110	29	65.5	14
HAZELDEAN Q1229	NHZQ1229	29	72.4	7
HAZELDEAN Q319	NHZQ319	30	66.7	11
KAKAHU PIVOTAL 18004	NZE13300018004	32	37.5	23
LAWSONS ASHLAND R1549	VLYR1549	27	66.7	11
LAWSONS MIRACULOUS Q44	VLYQ44	24	66.7	11
LAWSONS PROPHET P316	VLYP316	16	75.0	3
MOSQUITO CREEK QUALITY Q53	EGRQ53	25	76.0	2
PATHFINDER QUEST Q1357	SMPQ1357	34	70.6	9
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	23	65.2	15
RENNYLEA Q1081	NORQ1081	23	69.6	10
SEVEN HILLS 312/19	NZE21159019312	24	45.8	22
SHACORRAHDALU ROYALE R5	APBR5	29	62.1	17
TE MANIA NEON N1387	VTMN1387	29	72.4	7
TE MANIA QUEBEC Q854	VTMQ854	36	75.0	3



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Claw Set (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 5-6	Rank
ALLOURA QUINELLA Q30	DGJQ30	19	63.2	10
ARDROSSAN NECTAR Q67	NAQQ67	13	69.2	3
BANQUET NUTTELLA N462	VONN462	15	80.0	1
BONGONGO BE QUICK Q227	NGXQ227	17	58.8	15
BOOROOMOOKA QUALITY Q5	NGMQ5	14	42.9	20
CHILTERN PARK QUADRANT Q322	GTNQ322	18	61.1	13
DB ICONIC G95	USA19611994	34	44.1	19
G A R ASHLAND	USA18217198	11	36.4	23
HARDHAT K522 KODAK M33 Q110	DKKQ110	22	59.1	14
HAZELDEAN Q1229	NHZQ1229	17	64.7	7
HAZELDEAN Q319	NHZQ319	26	61.5	11
KAKAHU PIVOTAL 18004	NZE13300018004	31	61.3	12
LAWSONS ASHLAND R1549	VLYR1549	22	63.6	8
LAWSONS MIRACULOUS Q44	VLYQ44	13	53.8	16
LAWSONS PROPHET P316	VLYP316	11	63.6	8
MOSQUITO CREEK QUALITY Q53	EGRQ53	16	37.5	22
PATHFINDER QUEST Q1357	SMPQ1357	20	40.0	21
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	16	68.8	5
RENNYLEA Q1081	NORQ1081	21	71.4	2
SEVEN HILLS 312/19	NZE21159019312	23	52.2	17
SHACORRAHDALU ROYALE R5	APBR5	28	46.4	18
TE MANIA NEON N1387	VTMN1387	20	65.0	6
TE MANIA QUEBEC Q854	VTMQ854	26	69.2	3



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Foot Angle (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 5-6	Rank
ALLOURA QUINELLA Q30	DGJQ30	19	89.5	11
ARDROSSAN NECTAR Q67	NAQQ67	13	92.3	5
BANQUET NUTTELLA N462	VONN462	15	86.7	13
BONGONGO BE QUICK Q227	NGXQ227	17	76.5	18
BOOROOMOOKA QUALITY Q5	NGMQ5	14	78.6	17
CHILTERN PARK QUADRANT Q322	GTNQ322	18	94.4	3
DB ICONIC G95	USA19611994	34	82.4	15
G A R ASHLAND	USA18217198	11	72.7	20
HARDHAT K522 KODAK M33 Q110	DKKQ110	22	95.5	2
HAZELDEAN Q1229	NHZQ1229	17	82.4	15
HAZELDEAN Q319	NHZQ319	26	92.3	5
KAKAHU PIVOTAL 18004	NZE13300018004	31	93.5	4
LAWSONS ASHLAND R1549	VLYR1549	22	63.6	22
LAWSONS MIRACULOUS Q44	VLYQ44	13	92.3	5
LAWSONS PROPHET P316	VLYP316	11	100.0	1
MOSQUITO CREEK QUALITY Q53	EGRQ53	16	75.0	19
PATHFINDER QUEST Q1357	SMPQ1357	20	90.0	9
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	16	62.5	23
RENNYLEA Q1081	NORQ1081	21	90.5	8
SEVEN HILLS 312/19	NZE21159019312	23	69.6	21
SHACORRAHDALU ROYALE R5	APBR5	28	85.7	14
TE MANIA NEON N1387	VTMN1387	20	90.0	9
TE MANIA QUEBEC Q854	VTMQ854	26	88.5	12



Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 12 - Coat Type (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 1-2	Rank
ALLOURA QUINELLA Q30	DGJQ30	11	45.5	8
ARDROSSAN NECTAR Q67	NAQQ67	6	33.3	12
BANQUET NUTTELLA N462	VONN462	5	20.0	21
BONGONGO BE QUICK Q227	NGXQ227	11	54.5	4
BOOROOMOOKA QUALITY Q5	NGMQ5	10	10.0	22
CHILTERN PARK QUADRANT Q322	GTNQ322	10	30.0	15
DB ICONIC G95	USA19611994	19	26.3	19
G A R ASHLAND	USA18217198	9	22.2	20
HARDHAT K522 KODAK M33 Q110	DKKQ110	12	50.0	5
HAZELDEAN Q1229	NHZQ1229	9	44.4	10
HAZELDEAN Q319	NHZQ319	13	46.2	7
KAKAHU PIVOTAL 18004	NZE13300018004	10	30.0	15
LAWSONS ASHLAND R1549	VLYR1549	9	33.3	12
LAWSONS MIRACULOUS Q44	VLYQ44	7	28.6	17
LAWSONS PROPHET P316	VLYP316	3	0.0	23
MOSQUITO CREEK QUALITY Q53	EGRQ53	11	45.5	8
PATHFINDER QUEST Q1357	SMPQ1357	14	28.6	17
QUANDEN SPRINGS QUICKSILVER Q47	WQCQ47	10	60.0	3
RENNYLEA Q1081	NORQ1081	10	70.0	2
SEVEN HILLS 312/19	NZE21159019312	10	80.0	1
SHACORRAHDALU ROYALE R5	APBR5	12	50.0	5
TE MANIA NEON N1387	VTMN1387	12	41.7	11
TE MANIA QUEBEC Q854	VTMQ854	16	31.3	14



UNDERSTANDING THE ASBP SIRE LISTING - PROGENY PERFORMANCE SUMMARY TABLE

This listing provides an indication of how the sires are performing within the ASBP. *The values listed can only be validly used to compare sires within each cohort of the ASBP.*

For selection purposes it is strongly advised that the EBVs and selection indexes listed in section 1 of the report be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.

Interpreting the ASBP Progeny Performance Summary Table

Angus Sire Benchmarking Program - Cohort 3												
Summary of Progeny Averages (rank)												
Sire ID Name	BW	GL	WW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	Age
DGJF27 ALLOURA FOURTH DIMENSION F27	34.1 (1)	282.8 (23)	192.1 (35)	359.3 (40)	512.9 (36)	300.7 (16)	66.0 (15)	8.5 (1)	10.8 (1)	6.4 (1)	426.6 (36)	8
DGJG19 ALLOURA GET UP-AND-GO G19	37.0 (15)	283.0 (24)	202.7 (17)	396.7 (13)	537.3 (21)	290.1 (1)	64.9 (26)	7.8 (8)	10.0 (14)	5.4 (24)	432.3 (31)	8
CGKE9 ALPINE EXTRA SPECIAL E9	37.1 (18)	279.1 (4)	190.7 (39)	370.2 (37)	515.0 (34)	316.6 (40)	62.4 (39)	5.8 (40)	7.7 (39)	4.9 (40)	434.6 (30)	8
WJMF96 ARDCAIRNIE F96	36.2 (7)	281.7 (17)	198.9 (21)	390.3 (18)	551.2 (10)	310.5 (37)	69.0 (2)	7.7 (10)	10.1 (11)	5.6 (12)	465.0 (11)	8
NBBG117 BALD BLAIR NEW DESIGN G117	36.3 (9)	282.1 (20)	197.0 (29)	397.5 (11)	544.0 (12)	302.1 (22)	67.0 (11)	7.4 (18)	9.3 (28)	5.0 (39)	453.4 (19)	8
WMYF3 BLACKROCK F3	36.5 (10)	279.0 (3)	204.3 (11)	388.2 (22)	555.2 (8)	301.5 (19)	67.2 (9)	7.6 (14)	10.3 (8)	5.7 (10)	479.1 (2)	8
NGMF510 BOOROOMOOKA FRANKEL F510	40.3 (39)	281.3 (14)	200.3 (20)	405.9 (3)	555.5 (7)	304.1 (26)	65.8 (16)	7.3 (20)	10.1 (11)	5.4 (24)	444.3 (26)	8

Progeny Average = The average performance of this sires progeny for the specified trait in the ASBP. The average is calculated using adjusted data (i.e. the standard adjustments for the age of the progeny and age of the dams). It is calculated using a least squares means (LSM) model which takes into herd and contemporary group.

Rank = The ranking position of the sire within the specified cohort (in brackets). The ranking order will depend on the trait. E.g. 200 Day weight ranked in descending order, while birth weight is ranked in ascending order.

For easy interpretation colour coding has been applied to the ranking being:

- Rank 1 to 5 (dark green with white text). E.g.

34.1 (1)

- Rank 6 to 10 (light green with black text). E.g.

36.5 (10)

The definition of the traits are detailed in the previous section of this report titled "*Understanding the ASBP Progeny Performance Listing*"

The table is sorted on sire name for the specified cohort.

The date the progeny performance values were produced is listed in the bottom left hand margin of the report. The reports will be regularly updated as further ASBP data is recorded and analysed.



Angus Sire Benchmarking Program - Cohort 12

Summary of Progeny Averages (rank)

Sire ID Name	BW	GL	WW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	CARC EMA	CARC IMF	NFI-f	MSA MBL	MSA OSS	MSA IND	DOC	CLAW	ANGLE	CT
DGJQ30 ALLOURA QUINELLA Q30	34.6 (9)	281.9 (23)	241.2 (4)	379.2 (12)	575.7 (14)		61.6 (6)	5.1 (4)	6.6 (1)	7.1 (1)				-1.9 (9)				53.8 (19)	63.2 (10)	89.5 (11)	45.5 (8)
NAQQ67 ARDROSSAN NECTAR Q67	34.7 (11)	275.7 (1)	234.9 (15)	378.2 (14)	588.1 (7)		61.4 (8)	4.6 (11)	6.0 (7)	6.3 (9)				-1.8 (12)				73.1 (6)	69.2 (3)	92.3 (5)	33.3 (12)
VONN462 BANQUET NUTTELLA N462	37.2 (23)	278.9 (10)	245.5 (1)	390.9 (3)	589.7 (5)		57.7 (22)	5.0 (7)	5.7 (11)	5.8 (21)				-1.9 (9)				85.7 (1)	80.0 (1)	86.7 (13)	20.0 (21)
NGXQ227 BONGONGO BE QUICK Q227	35.1 (16)	280.5 (19)	232.3 (20)	373.3 (18)	580.2 (10)		62.7 (4)	5.4 (2)	6.4 (4)	6.8 (2)				-0.7 (23)				53.3 (20)	58.8 (15)	76.5 (18)	54.5 (4)
NGMQ5 BOOROOMOOKA QUALITY Q5	35.3 (17)	278.5 (7)	234.4 (17)	388.2 (4)	594.6 (2)		60.8 (10)	5.1 (4)	6.6 (1)	6.8 (2)				-2.3 (3)				60.0 (18)	42.9 (20)	78.6 (17)	10.0 (22)
GTNQ322 CHILTERN PARK QUADRANT Q322	35.0 (15)	281.1 (20)	235.9 (11)	381.5 (9)	593.8 (3)		60.9 (9)	5.0 (7)	6.0 (7)	6.3 (9)				-1.5 (16)				48.1 (21)	61.1 (13)	94.4 (3)	30.0 (15)
USA19611994 DB ICONIC G95	34.1 (6)	280.0 (17)	240.4 (5)	374.2 (17)	578.9 (11)		59.3 (20)	3.8 (21)	4.9 (19)	6.1 (16)				-1.7 (13)				75.0 (3)	44.1 (19)	82.4 (15)	26.3 (19)
USA18217198 G A R ASHLAND	34.9 (14)	278.3 (4)	238.0 (8)	382.0 (8)	588.3 (6)		59.4 (19)	4.1 (20)	4.8 (21)	6.0 (19)				-1.9 (9)				65.2 (15)	36.4 (23)	72.7 (20)	22.2 (20)
DKKQ110 HARDHAT K522 KODAK M33 Q110	33.8 (4)	278.7 (8)	232.4 (19)	360.0 (22)	561.3 (21)		63.0 (3)	4.5 (14)	5.5 (14)	6.5 (6)				-2.3 (3)				65.5 (14)	59.1 (14)	95.5 (2)	50.0 (5)
NHZQ1229 HAZELDEAN Q1229	34.3 (7)	280.2 (18)	242.1 (3)	379.7 (11)	569.2 (17)		60.8 (10)	4.6 (11)	5.7 (11)	6.4 (8)				-1.4 (18)				72.4 (7)	64.7 (7)	82.4 (15)	44.4 (10)
NHZQ319 HAZELDEAN Q319	34.5 (8)	277.1 (2)	235.0 (14)	367.9 (19)	592.5 (4)		60.0 (16)	4.9 (9)	5.4 (15)	6.2 (15)				-1.4 (18)				66.7 (11)	61.5 (11)	92.3 (5)	46.2 (7)
NZE13300018004 KAKAHU PIVOTAL 18004	34.6 (9)	278.9 (10)	235.4 (13)	376.6 (15)	572.6 (16)		60.2 (14)	5.4 (2)	6.3 (5)	6.6 (5)				-1.6 (14)				37.5 (23)	61.3 (12)	93.5 (4)	30.0 (15)
VLJR1549 LAWSONS ASHLAND R1549	35.4 (18)	278.8 (9)	243.8 (2)	383.6 (7)	596.0 (1)		63.3 (1)	4.3 (18)	5.2 (18)	6.3 (9)				-2.0 (7)				66.7 (11)	63.6 (8)	63.6 (22)	33.3 (12)
VLYQ44 LAWSONS MIRACULOUS Q44	33.7 (3)	279.3 (14)	227.5 (22)	363.8 (21)	554.7 (22)		63.1 (2)	4.4 (15)	6.0 (7)	6.1 (16)				-2.4 (2)				66.7 (11)	53.8 (16)	92.3 (5)	28.6 (17)
VLYP316 LAWSONS PROPHET P316	35.4 (18)	281.6 (22)	237.1 (9)	366.4 (20)	565.9 (18)		59.9 (18)	4.2 (19)	5.3 (17)	6.3 (9)				-1.0 (22)				75.0 (3)	63.6 (8)	100.0 (1)	0.0 (23)
EGRQ53 MOSQUITO CREEK QUALITY Q53	33.1 (2)	278.4 (6)	239.0 (7)	396.5 (1)	580.9 (9)		59.0 (21)	5.1 (4)	6.3 (5)	6.3 (9)				-2.1 (5)				76.0 (2)	37.5 (22)	75.0 (19)	45.5 (8)
SMPQ1357 PATHFINDER QUEST Q1357	34.7 (11)	279.3 (14)	234.6 (16)	383.7 (6)	573.4 (15)		61.5 (7)	3.7 (22)	4.6 (22)	5.5 (22)				-2.1 (5)				70.6 (9)	40.0 (21)	90.0 (9)	28.6 (17)
WQCQ47 QUANDEN SPRINGS QUICKSILVER Q47	32.8 (1)	277.8 (3)	239.2 (6)	374.5 (16)	585.5 (8)		60.5 (13)	4.4 (15)	5.8 (10)	5.5 (22)				-2.6 (1)				65.2 (15)	68.8 (5)	62.5 (23)	60.0 (3)
NORQ1081 RENNYLEA Q1081	35.4 (18)	278.9 (10)	236.3 (10)	393.2 (2)	577.7 (12)		60.1 (15)	4.6 (11)	5.4 (15)	6.7 (4)				-1.5 (16)				69.6 (10)	71.4 (2)	90.5 (8)	70.0 (2)
NZE21159019312 SEVEN HILLS 312/19	35.9 (21)	278.3 (4)	233.3 (18)	384.2 (5)	576.0 (13)		60.0 (16)	3.7 (22)	4.3 (23)	5.9 (20)				-1.1 (21)				45.8 (22)	52.2 (17)	69.6 (21)	80.0 (1)
APBR5 SHACORRAHDALU ROYALE R5	34.8 (13)	278.9 (10)	230.5 (21)	378.9 (13)	565.9 (18)		60.6 (12)	5.5 (1)	6.5 (3)	6.1 (16)				-1.3 (20)				62.1 (17)	46.4 (18)	85.7 (14)	50.0 (5)
VTMN1387 TE MANIA NEON N1387	36.2 (22)	279.4 (16)	225.1 (23)	359.5 (23)	551.0 (23)		57.3 (23)	4.4 (15)	4.9 (19)	6.5 (6)				-2.0 (7)				72.4 (7)	65.0 (6)	90.0 (9)	41.7 (11)



Angus Sire Benchmarking Program - Cohort 12

Summary of Progeny Averages (rank)

Sire ID Name	BW	GL	WW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	CARC EMA	CARC IMF	NFI-f	MSA MBL	MSA OSS	MSA IND	DOC	CLAW	ANGLE	CT
VTMQ854 TE MANIA QUEBEC Q854	33.8 (4)	281.5 (21)	235.8 (12)	380.8 (10)	562.7 (20)		62.5 (5)	4.9 (9)	5.7 (11)	6.3 (9)				-1.6 (14)				75.0 (3)	69.2 (3)	88.5 (12)	31.3 (14)