



PROGENY PERFORMANCE REPORT

COHORT 14



Acknowledgments:

Angus Australia thanks the following organisations for their support of the Angus Sire Benchmarking Program (ASBP):

Co-Funding Partner

Meat and Livestock Australia

Industry Partners

Rangers Valley

Stockyard Beef - Kerwee Lot Feeders

John Dee Abattoir

University of New England (UNE)

Vetoquinol

Zoetis Animal Genetics

Neogen Australasia

Co-operator Cow Herds

Brad and Marg Gilmour, Boorcan, VIC.

Rob and Sally Bulle, Ardrossan, Holbrook, NSW.

Hugh Munro, Glenroy, Gravesend, NSW.

Roger and Geralyn Flower, Myola, Black Mountain, NSW.

John O'Brien & Trevor Nash, Stradbroke Pastoral, Yarralee, Coolah, NSW.

Rob Dugdale and Jeff Richie, Springmount, Black Mountain, NSW.

Richard and Ruth Puddicombe, Burindi, Barraba, NSW.

Shaun Uebergang, Pearsby Hall, Delungra, NSW.

Stephen and Amity Chase, Waitara, Trangie, NSW.

NSW DPI, Trangie Agricultural Research Centre, Trangie, NSW.

NSW DPI, Glen Innes Research Station, Glen Innes, NSW.

University of Sydney, Nowley, Spring Ridge, NSW.

David and Pia Butcher, Woorak, Bundarra, NSW.

Bruce and Anna Allworth, Holbrook, NSW.

James Stephens, Charles Sturt University, Wagga Wagga, NSW.

Douglas Lithgow, Swanpool, VIC.

CSIRO, Chiswick Research Station, Armidale, NSW.

John Murdoch, Bibbenluke, NSW.

Michael Rogers, Aberbaldie, NSW.

Keith Soames, Dungog, NSW.

Jamie and Sally Andrews, Gloucester, NSW.

Bull Owners and Nominators

Angus Australia thanks the numerous bull owner and nominators that have entered the ASBP. For sire ownership details please refer to the Angus Australia website (www.angusaustralia.com.au).

Data Analysis Support

Animal Genetics and Breeding Unit (AGBU), University of New England, Armidale, NSW. Agricultural Business Research Institute (ABRI-BREEDPLAN), Armidale, NSW.



Angus Sire Benchmarking Program

The Angus Sire Benchmarking Program (ASBP) is a major initiative of Angus Australia with support from Meat & Livestock Australia (MLA) and industry partners such as Vetoquinol, Rangers Valley Feedlot and John Dee Abattoir.

The major objective of the ASBP is to:

“Grow the phenotype and genotype reference population with contemporary Australian Angus animals, particularly on hard-to-measure traits, for enhanced genetic evaluation, collaborative research and innovative development.”

To meet the project objectives Angus Australia aims to join an average of 25-35 sires a year to approximately 1,800 Angus cows to achieve a minimum of 25 progeny (50:50 steers and heifers) per sire using a fixed time AI program. The Angus cows are located across several commercial cooperator herds located in New South Wales and Victoria.

The Angus sires that enter the ASBP are nominated by Angus Australia members. Before entering the program the sires are assessed for a range of factors such as genetic diversity, genetic condition status, EBVs and selection index values. Once the progeny are born they are comprehensively performance recorded for calving ease, growth, temperament, heifer reproduction, structure, feed efficiency, abattoir carcase and beef quality attributes.

ASBP Progeny Performance Report

The ASBP Progeny Performance report includes two sections to assist with assessment of the genetic merit of the ASBP sires, being:

1. **Trans-Tasman Angus Cattle Evaluation (TACE) Sire Listing** – The first section includes the Angus EBVs and Selection Indexes from the noted monthly analysis.
For selection purposes it is strongly advised that the EBVs and selection indexes be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.
2. **ASBP Progeny Performance Listing** – The second section includes progeny average values and rankings for a range of traits recorded within the ASBP. This listing provides an indication on how the sire's are performing within the ASBP. *The values listed can only be validly used to compare sires within each cohort of the ASBP.*

Each section includes introductory notes to assist with the interpretation of the information listed.

Contact – For further questions on the ASBP contact Liam Mowbray, Research & Development Specialist - Genetic Improvement, Angus Australia on phone: 0436 406 140 or email: liam.mowbray@angusaustralia.com.au

Further information on the ASBP is listed on the Angus Australia website www.angusaustralia.com.au

READING THE ASBP SIRE LISTING - TACE EBVs and SELECTION INDEXES

Ident	Name	Statistics			Estimated Breeding Values																							
Sire Dam	Reg.	Num Herd	Prog	Prog 2Yr.	Calv-Ease		Birth		Growth					Fert		Carcase					Feed	Temp	Structural			Selection Index		
					Dir	Dtrs	GL	BW	200	400	600	MCW	Milk	SS	DC	CW	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L
USA17960722	BALDRIDGE BEAST MODE B074				+6.6	+8.2	-3.6	+3.6	+77	+123	+149	+131	+9	+2.8	-4.4	+82	+3.2	-2.5	-4.5	-0.3	+2.6	-0.23	+34	+0.54	+0.54	+0.78	\$277	\$452
USA16295688	HBR	234	5069	1679	95%	82%	99%	99%	99%	99%	99%	97%	96%	98%	65%	94%	92%	92%	92%	88%	91%	77%	98%	98%	98%	97%		
USA17149410					17	5	66	36	1	1	4	9	92	21	44	13	87	89	96	75	32	16	7	4	1	2	2	1

Animal Details

Ident: Animal ident
 Name: Animal name
 Sire: Ident of animal's sire
 Dam: Ident of animal's dam
 Reg.: Registration status
 Num Herd: Number of herds in which the animal has progeny recorded with Angus Australia
 Prog: Number of progeny recorded with Angus Australia
 Prog 2Yr: Number of progeny recorded with Angus Australia that are born in the past 2 years

EBVs & Selection Indexes

Dir	Calving Ease Direct	P8	Rump Fat
Dtrs	Calving Ease Daughters	RBV	Retail Beef Yield
GL	Gestation Length	IMF	Intramuscular Fat
BW	Birth Weight	NFI-F	Net Feed Intake (Feedlot)
200	200 Day Growth	DOC	Docility
400	400 Day Weight	Claw	Claw Set
600	600 Day Weight	Angle	Foot Angle
MCW	Mature Cow Weight	Leg	Leg Angle
Milk	Milk	\$A	Angus Breeding Index
SS	Scrotal Size	\$A-L	Angus Breeding Low Feed Cost Index
DC	Days to Calving		
CW	Carcase Weight		
EMA	Eye Muscle Area		
RIB	Rib Fat		

For each EBV, the EBV is published on the top row, followed by the accuracy of the EBV on the second row, followed by the percentile band in which the EBV ranks on the bottom row. For each selection index, the selection index is published on the top row, with the percentile band in which the selection index ranks on the bottom row. Accuracy values are not published for selection indexes.



Angus Australia - Sire Benchmarking Program - Cohort 14
Mid June 2025 TransTasman Angus Cattle Evaluation

Ident	Name	Statistics			Estimated Breeding Values																									
					Calv-Ease		Birth		Growth				Maternal				Fert		Carcase						Feed		Temp	Structural		
Sire Dam	Reg.	Num Herd	Prog	Prog 2Yr.	Dir	Dtrs	GL	BW	200	400	600	MCW	MBC	MCH	Milk	SS	DC	CW	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L
QRB22T10	AISTHORPE LM TORNADO T10 ^{PV}				+0.9	-1.5	-6.0	+5.0	+57	+102	+127	+110	+0.21	+7.6	+16	+3.7	-5.0	+78	+8.0	-0.3	-1.6	+0.9	+1.7	-0.30	+7	+0.76	+0.88	+0.70	\$216	\$366
USA17328461 NBNH88	HBR	4	11	11	73%	63%	89%	87%	87%	84%	84%	81%	71%	75%	77%	80%	52%	76%	73%	74%	74%	68%	77%	67%	80%	70%	69%	65%		
					66	88	27	74	26	26	35	38	64	61	62	9	44	24	32	57	73	20	66	8	94	34	30	1	41	41
NXO21S957	AJC S957 ^{PV}				+7.4	+10.2	-5.2	+3.0	+54	+97	+127	+69	+0.16	+7.1	+23	+2.4	-8.1	+68	+9.8	+2.9	+1.8	-1.1	+8.1	+0.19	+34	+0.96	+0.94	+0.72	\$312	\$471
NXOQ654 NXOP733	APR	7	32	32	73%	60%	91%	91%	89%	85%	85%	82%	70%	74%	77%	80%	42%	76%	69%	70%	71%	60%	74%	63%	83%	60%	60%	57%		
					12	1	39	29	41	39	37	91	76	71	11	40	3	52	16	6	19	98	1	46	10	74	44	2	1	1
DGJ21S14	ALLOURA SYNERGY S14 ^{PV}				+4.3	+5.9	-7.5	+2.6	+60	+107	+138	+129	+0.50	+9.2	+13	+3.1	-6.5	+86	+7.2	+0.2	-1.3	+0.3	+3.2	+0.63	+23	+1.04	+1.14	+1.00	\$245	\$431
USA18217198 DGJQ02	HBR	7	44	44	75%	65%	93%	91%	90%	85%	85%	83%	78%	81%	77%	80%	51%	77%	73%	73%	74%	65%	77%	67%	87%	71%	71%	69%		
					36	24	12	22	16	16	17	15	6	32	80	19	16	11	40	45	68	53	30	86	42	85	86	43	12	5
HCAQ63	BOONAROO GENIUS Q63 ^{SV}				+9.9	+4.6	-5.7	+0.7	+47	+88	+110	+94	+0.34	+6.4	+18	+1.4	-7.5	+64	+1.7	+2.7	+3.9	-0.6	+3.3	-0.45	+30	+0.74	+0.92	+1.12	\$224	\$383
NGMG120 HCAK233	HBR	7	103	32	78%	66%	91%	95%	94%	93%	90%	90%	78%	92%	85%	89%	52%	81%	78%	79%	79%	73%	80%	68%	92%	88%	89%	85%		
					2	38	31	4	72	67	73	63	29	80	41	76	6	63	93	7	5	91	28	4	18	30	39	78	31	28
NGM21S267	BOOROOMOOKA NEWLY S267 ^{PV}				+7.9	+6.0	-7.4	+0.3	+50	+89	+116	+91	+0.48	+7.4	+21	+2.6	-4.7	+74	+6.2	+1.4	+1.4	+0.0	+4.7	+0.74	+30	+0.44	+0.68	+0.82	\$232	\$383
VTMN549 NGMQ580	HBR	7	70	70	73%	62%	95%	93%	92%	86%	86%	83%	81%	83%	78%	81%	49%	77%	72%	73%	73%	65%	76%	65%	90%	76%	76%	73%		
					9	23	12	3	59	64	61	68	7	65	22	33	51	35	53	21	23	70	8	91	18	2	4	6	23	27
NJS22T48	DEVANAH TOLEDO T48 ^{PV}				+6.9	+6.6	-1.2	+2.8	+57	+102	+131	+94	+0.19	+10.4	+22	+1.8	-6.6	+89	+7.6	+2.1	+3.0	-0.4	+1.7	+0.53	+28	+0.82	+1.22	+1.22	\$250	\$414
GTNM6 NJSQ2	HBR	7	61	61	73%	66%	93%	92%	91%	89%	87%	85%	75%	80%	79%	84%	55%	80%	79%	80%	80%	73%	81%	70%	86%	84%	84%	81%		
					15	18	92	26	25	27	28	63	69	15	18	63	14	8	36	12	9	86	66	79	24	46	94	94	10	10
NGC21S068	DULVERTON SMART MISSILE S068 ^{SV}				+4.9	+2.6	-2.6	+2.1	+59	+101	+132	+96	+0.03	+7.8	+13	+2.5	-3.6	+71	+6.9	-1.1	+0.3	-0.1	+3.1	-0.51	+30	+1.00	+1.22	+1.08	\$232	\$381
USA18170041 NGCM191	HBR	13	137	137	77%	67%	96%	94%	93%	91%	88%	85%	77%	79%	79%	86%	54%	79%	76%	77%	77%	71%	79%	68%	89%	74%	74%	70%		
					31	59	79	15	19	27	26	60	94	58	81	37	76	44	44	74	40	75	32	3	17	80	94	67	23	29
BHRQ1163	DUNOON QUICK DRAW MCGRAW				-1.0	+1.7	-5.8	+3.8	+57	+104	+136	+109	+0.29	+9.2	+21	+3.6	-3.4	+70	+8.9	-0.2	-2.0	-0.4	+5.9	+0.61	+13	+0.84	+0.64	+0.86	\$222	\$368
BHRN394 BHRK074	HBR	14	419	166	69%	59%	98%	97%	95%	96%	94%	87%	73%	77%	78%	89%	51%	81%	83%	82%	82%	76%	83%	67%	91%	78%	79%	74%		
					79	68	30	47	26	22	20	39	41	32	23	11	80	47	23	55	78	86	2	85	81	51	2	10	34	39
WKG22T2	GANDY FAIR N SQUARE T2 ^{SV}				+8.4	+4.3	-11.6	+2.2	+56	+106	+126	+65	+0.31	+6.3	+22	+1.7	-8.2	+72	-1.2	+4.9	+5.7	-1.5	+1.4	+0.46	+41	+0.84	+0.76	+0.94	\$257	\$406
USA19418329 WKG P24	HBR	8	51	51	72%	58%	92%	92%	91%	86%	86%	82%	66%	70%	75%	80%	41%	75%	70%	71%	71%	62%	74%	61%	88%	70%	70%	63%		
					7	41	1	16	29	18	37	94	36	82	17	66	3	40	99	1	1	99	74	74	3	51	10	25	7	13
QBV21S073	GLENISA PATENT S073 ^{SV}				+3.5	+4.0	-5.2	+5.3	+64	+114	+138	+130	+0.36	+6.8	+14	+2.3	-4.5	+78	+2.5	-0.7	+0.2	-0.3	+1.7	-0.19	+23	+0.82	+0.94	+1.06	\$215	\$392
USA19199070 QBVJ018	HBR	6	26	26	70%	55%	92%	90%	89%	85%	85%	81%	64%	67%	74%	79%	39%	74%	69%	69%	70%	60%	73%	60%	84%	66%	66%	57%		
					44	44	39	79	8	7	17	14	24	75	71	44	56	25	89	66	42	83	66	13	43	46	44	61	41	21
DKK22T2	HARDHAT M518 TATUM T2 ^{PV}				-8.2	-1.4	-9.8	+4.3	+63	+105	+136	+132	+0.31	+11.1	+16	+1.0	-2.6	+69	+6.4	-2.6	-2.0	-0.2	+4.1	+0.02	+30	+0.74	+0.60	+1.06	\$183	\$320
VLYM518 NKLF143	HBR	6	29	29	76%	67%	93%	90%	89%	86%	86%	83%	78%	82%	79%	81%	55%	79%	75%	75%	76%	68%	79%	70%	86%	78%	78%	71%		
					97	87	2	59	10	20	20	13	36	9	58	86	90	48	50	94	78	79	15	28	17	30	1	61	76	76
NHZR265	HAZELDEAN RENEGADE R265 ^{PV}				+5.0	+3.1	-0.4	+3.9	+50	+98	+132	+122	+0.17	+7.2	+20	+1.6	-2.4	+69	+5.7	-1.0	-2.0	-0.2	+3.7	-0.08	+28	+0.68	+0.82	+1.04	\$176	\$334
NHZM182 NHZN294	APR	6	287	274	75%	59%	98%	97%	95%	95%	91%	85%	66%	75%	78%	94%	50%	81%	79%	79%	79%	72%	81%	68%	94%	74%	74%	68%		
					30	54	95	49	57	36	27	21	74	70	26	70	92	48	59	72	78	79	21	20	23	19	18	55	81	67
CBJ21S13	HILLS VIEW SAM S13 ^{PV}				+5.7	+3.2	-3.6	+3.4	+57	+113	+147	+127	+0.23	+9.8	+21	+2.5	-4.9	+69	+5.5	+0.8	+1.1	-0.7	+4.1	+0.12	+26	+0.62	+0.70	+1.06	\$231	\$414
CSWQ011 ASHP141	HBR	15	99	99	71%	64%	95%	92%	90%	86%	86%	83%	76%	80%	78%	81%	49%	77%	73%	73%	74%	65%	77%	67%	87%	71%	71%	70%		
					24	53	65	38	25	8	8	16	58	22	23	37	46	48	61	32	28	93	15	38	31	12	5	61	23	10
Breed Average EBVs					+2.2	+3.0	-4.5	+3.9	+52	+93	+120	+102	+0.26	+8.2	+17	+2.2	-4.8	+69	+6.5	+0.1	-0.2	+0.4	+2.5	+0.23	+21	+0.83	+0.96	+1.02	+205	+351



Angus Australia - Sire Benchmarking Program - Cohort 14

Mid June 2025 TransTasman Angus Cattle Evaluation

Page: 2

Ident	Name	Statistics			Estimated Breeding Values																											
					Calv-Ease		Birth		Growth			Maternal				Fert		Carcase						Feed		Temp	Structural			Indexes		
Sire Dam	Reg.	Num Herd	Prog	Prog 2Yr.	Dir	Dtrs	GL	BW	200	400	600	MCW	MBC	MCH	Milk	SS	DC	CW	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L		
USA20427019	HOOVER ABOUT IT ^{PV}				+4.4	+5.1	-2.2	+0.6	+51	+99	+134	+92	+0.22	+4.8	+22	+1.6	-2.9	+82	+9.9	+2.3	+2.6	+0.2	+2.2	+0.62	+21	+0.68	+0.68	+0.92	\$224	\$369		
USA17882682	HBR	11	88	88	75%	58%	95%	95%	93%	88%	87%	84%	66%	71%	80%	82%	41%	80%	77%	74%	72%	67%	79%	61%	85%	81%	81%	61%				
USA19200093					35	32	83	4	54	33	22	66	61	95	17	70	87	17	16	10	11	59	54	86	50	19	4	20	31	38		
FCJ21S132	KAKAHU S132 ^{PV}				+2.8	+4.8	-1.8	+3.6	+56	+98	+128	+81	-0.07	+7.9	+23	+3.0	-4.2	+73	+7.1	-3.7	-4.1	+0.3	+4.4	-0.40	+35	+0.84	+0.96	+0.76	\$237	\$371		
USA18170041	HBR	7	258	258	72%	66%	98%	97%	96%	88%	87%	84%	78%	80%	78%	81%	52%	78%	72%	73%	74%	66%	76%	67%	84%	75%	72%	69%				
NZE21180117268					50	35	87	42	29	37	35	81	99	56	15	22	63	37	42	98	95	53	11	5	10	51	49	3	18	36		
BLA22T72	KNOWLA TOP NOTCH T72 ^{PV}				+5.5	+0.3	-7.9	+3.2	+59	+110	+144	+147	+0.51	+8.0	+9	+3.6	-3.3	+80	+7.2	-1.6	-1.5	+0.7	+2.9	-0.47	+27	+0.70	+0.84	+1.06	\$208	\$394		
BLAN127	HBR	5	26	26	65%	57%	92%	90%	88%	85%	85%	82%	75%	81%	77%	80%	45%	76%	72%	72%	73%	64%	76%	65%	85%	74%	75%	72%				
BLAN14					25	78	9	33	20	12	10	5	5	54	95	11	81	20	40	83	71	29	37	3	26	23	21	61	49	20		
TFA21S1944	LANDFALL SUMMIT S1944 ^{PV}				+5.7	+4.9	-6.8	+2.9	+50	+104	+139	+116	+0.44	+6.9	+27	+2.3	-5.5	+71	+9.7	+2.1	+2.1	-0.2	+4.3	+0.63	+27	+0.60	+0.70	+0.84	\$240	\$417		
NORL519	HBR	21	268	264	75%	67%	97%	96%	95%	88%	88%	85%	81%	85%	80%	82%	56%	80%	75%	76%	77%	69%	78%	70%	93%	78%	78%	75%				
TFAN829					24	34	18	28	58	21	16	29	11	74	4	44	33	44	17	12	15	79	12	86	27	10	5	8	16	9		
CHK21S093	MANEROO PARTNERS S093 ^{SV}				+1.2	-0.9	-3.3	+4.4	+60	+99	+120	+114	+0.39	+6.4	+16	+3.1	-6.9	+71	+14.6	-2.3	-3.6	+1.5	+3.5	+0.41	+30	+1.02	+1.00	+1.04	\$262	\$423		
USA19266718	APR	7	39	39	71%	63%	91%	92%	89%	86%	86%	83%	76%	80%	77%	80%	49%	77%	74%	75%	76%	68%	77%	65%	84%	71%	71%	69%				
CHKN068					64	85	69	61	17	34	51	32	19	81	57	19	11	43	2	91	93	5	24	69	18	83	59	55	5	7		
CSW22T115	MURDEDUKE PHEASANTRY T115 ^{PV}				+2.4	+4.6	-6.3	+4.4	+54	+105	+129	+126	+0.48	+7.8	+27	+3.1	-7.9	+75	+4.9	+1.2	+1.2	-1.2	+6.5	+0.91	+20	+0.38	+0.96	+1.16	\$243	\$427		
VTMP1479	HBR	5	7	7	69%	62%	88%	86%	85%	83%	84%	82%	78%	82%	78%	80%	49%	75%	72%	72%	73%	65%	76%	67%	81%	75%	75%	73%				
CSWR082					54	38	23	61	39	19	33	18	7	58	4	19	4	32	69	24	26	99	1	96	53	1	49	86	14	6		
NZE21095020	NGAPUTAH I R160 ^{SV}				-1.1	+3.9	-1.0	+4.8	+64	+107	+133	+114	+0.50	+6.4	+19	+4.4	-3.7	+76	+5.3	-1.3	-1.2	+0.2	+3.2	-0.07	+35	+0.76	+0.80	+0.88	\$221	\$373		
USA17960722	HBR	9	184	159	78%	67%	95%	97%	95%	93%	90%	87%	72%	76%	84%	89%	57%	82%	81%	81%	82%	76%	81%	69%	91%	79%	78%	75%				
NZE2109510845					79	45	93	70	8	16	24	31	6	81	35	4	74	30	64	78	66	59	30	20	9	34	15	13	34	35		
NORQ1077	RENNYLEA Q1077 ^{PV}				+3.7	+9.8	-4.1	+2.7	+50	+99	+123	+108	+0.41	+10.5	+14	+2.2	-5.7	+76	+15.8	+0.7	+0.0	+1.5	+5.3	+0.73	+21	+0.70	+0.80	+0.84	\$285	\$457		
NORH708	APR	14	431	248	82%	70%	98%	98%	97%	97%	96%	94%	89%	80%	88%	96%	62%	86%	86%	86%	86%	81%	86%	75%	97%	94%	94%	90%				
NORG101					42	2	57	24	59	35	44	41	15	14	77	47	28	29	1	34	45	5	4	91	51	23	15	8	1	2		
VKR22T58	RIGA TAVERN T58 ^{PV}				+4.4	+3.5	-4.3	+2.2	+59	+112	+139	+134	+0.21	+8.3	+14	+4.1	-3.5	+78	+8.8	-1.8	-0.7	+0.4	+3.0	+0.06	+38	+0.92	+0.82	+0.90	\$220	\$402		
USA19169335	HBR	5	17	17	73%	60%	90%	88%	87%	84%	85%	82%	71%	75%	78%	81%	45%	75%	73%	73%	74%	65%	76%	64%	82%	74%	70%	67%				
VKRR38					35	50	53	16	20	9	16	11	64	48	75	5	78	24	24	86	58	47	34	32	6	67	18	16	35	15		
FCD21S52	SEVEN HILLS STERLING S52 ^{PV}				+8.1	+6.0	-3.9	+2.6	+57	+103	+130	+108	+0.40	+5.5	+14	+1.7	-3.3	+67	+9.6	-1.5	-2.6	+0.9	+3.5	+0.06	+29	+0.88	+1.02	+1.02	\$239	\$399		
USA18837398	HBR	6	41	41	69%	60%	94%	92%	89%	87%	86%	84%	73%	77%	78%	80%	45%	77%	73%	74%	75%	67%	77%	63%	86%	78%	78%	72%				
NZE21159116122					8	23	60	22	26	23	30	40	17	90	75	66	81	55	18	81	85	20	24	32	20	59	64	49	17	17		
USA19189229	STERLING CONFIDENCE PLUS 804 ^{PV}				+5.2	+5.2	-5.7	+1.3	+58	+102	+122	+80	+0.26	+6.1	+20	+1.0	-5.5	+70	+11.0	+2.1	+1.9	+0.2	+1.9	+0.16	+19	+1.00	+0.88	+1.00	\$263	\$412		
USA17585576	HBR	37	583	467	83%	61%	98%	98%	97%	96%	96%	89%	68%	73%	83%	94%	49%	85%	86%	84%	82%	77%	86%	65%	96%	91%	91%	85%				
USA18171316					28	31	31	8	24	26	46	82	49	85	30	86	33	46	10	12	17	59	61	42	59	80	30	43	5	11		
FAM21S329	STOKMAN SOLUTION S329 ^{PV}				+11.8	+5.8	-10.8	-1.5	+46	+91	+115	+67	+0.36	+4.8	+17	+3.4	-8.9	+67	+8.4	+2.3	+1.5	+0.2	+2.7	+0.91	+8	+0.82	+0.94	+1.04	\$261	\$411		
USA19057457	HBR	44	934	934	85%	61%	99%	98%	98%	95%	93%	86%	64%	71%	77%	93%	46%	80%	79%	79%	79%	73%	80%	64%	97%	87%	88%	84%				
NZE21043118P69					1	25	1	1	77	58	62	92	24	94	50	14	2	57	27	10	22	59	41	96	93	46	44	55	5	11		
FAF21S19	STORTH OAKS ZEPHYR S19 ^{PV}				+5.8	+7.3	-7.1	+3.1	+66	+117	+154	+115	+0.29	+8.5	+26	+3.3	-6.4	+81	+3.1	-0.6	+0.5	-0.5	+3.7	+0.62	+11	+0.78	+0.96	+0.96	\$273	\$457		
USA18962277	HBR	7	30	30	74%	63%	93%	90%	89%	85%	85%	83%	78%	82%	77%	80%	48%	76%	72%	72%	73%	64%	76%	66%	84%	76%	76%	71%				
NZE19507115L244					23	12	15	31	5	5	4	31	41	44	5	15	17	18	86	64	37	89	21	86	87	38	49	30	3	2		
Breed Average EBVs					+2.2	+3.0	-4.5	+3.9	+52	+93	+120	+102	+0.26	+8.2	+17	+2.2	-4.8	+69	+6.5	+0.1	-0.2	+0.4	+2.5	+0.23	+21	+0.83	+0.96	+1.02	+205	+351		



Angus Australia - Sire Benchmarking Program - Cohort 14
Mid June 2025 TransTasman Angus Cattle Evaluation


Ident	Name	Statistics			Estimated Breeding Values																										
Sire Dam	Reg.	Num Herd	Prog	Prog 2Yr.	Calv-Ease		Birth		Growth			Maternal				Fert		Carcase						Feed		Temp	Structural			Indexes	
					Dir	Dtrs	GL	BW	200	400	600	MCW	MBC	MCH	Milk	SS	DC	CW	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L	
VTMR795	TE MANIA ROCCO R795 ^{SV}				-0.1	+1.7	-3.9	+1.8	+41	+90	+118	+114	+0.45	+9.8	+19	+1.7	-5.1	+48	+6.3	+0.7	-2.2	+0.0	+5.6	+0.25	+36	+0.72	+0.88	+1.18	\$187	\$338	
NORH708 VTML1374	APR	17	953	770	82% 73	70% 68	99% 60	98% 12	98% 90	97% 61	97% 55	92% 31	+0.45 85%	+9.8 83%	19 85%	1.7 66	-5.1 41	+48 91%	+6.3 91%	+0.7 90%	-2.2 81	+0.0 70	+5.6 3	+0.25 83%	+36 97%	72% 26	97% 30	96% 89	72	64	
JVC21S2	WRIGLEY SUPREME S2 ^{PV}				+9.9	+8.1	-1.3	+2.4	+59	+110	+138	+92	-0.11	+9.0	+25	+4.1	-9.6	+88	+8.2	-1.6	-0.9	+0.8	+4.5	+0.68	+5	+0.90	+0.84	+1.02	\$323	\$505	
USA18636106 JVCQ83	HBR	13	187	187	71% 2	63% 8	97% 91	95% 19	94% 19	91% 11	88% 17	84% 67	77% 99	83% 36	79% 8	81% 5	50% 1	80% 9	74% 29	74% 83	75% 61	66% 24	77% 10	68% 89	91% 96	75% 63	76% 21	72% 49	1	1	
Breed Average EBVs					+2.2	+3.0	-4.5	+3.9	+52	+93	+120	+102	+0.26	+8.2	+17	+2.2	-4.8	+69	+6.5	+0.1	-0.2	+0.4	+2.5	+0.23	+21	+0.83	+0.96	+1.02	+205	+351	

UNDERSTANDING THE ASBP SIRE LISTING - PROGENY PERFORMANCE

This listing provides an indication on how the sires are performing within the ASBP. *The values listed can only be validly used to compare sires within each cohort of the ASBP.*

For selection purposes it is strongly advised that the EBVs and selection indexes listed in section 1 of the report be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.

Interpreting the ASBP Progeny Performance Listing



Angus Sire Benchmarking Project - Progeny Performance
Cohort: 2 - Carcase Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
ABBOTT PERFORMER E32	ESTE32	17	467.8	1
ABERDEEN ESTATE EXCITE E21	AHWE21	7	444.1	19
ANVIL ENFORCER E183	HBUE183	14	452.8	7
ARDROSSAN EXACT E162	NAQE162	12	449.5	11
ARDROSSAN FAIRFAX F21	NAQF21	9	437.8	28
AYRVALE BARTEL E7	HIOE7	17	455.0	5
BALDWIN HIGHLANDER E126	BOG126	3	439.1	13

Number of progeny = Number of progeny the sire has recorded for the specified trait. This excludes any progeny in single animal contemporary groups.

Progeny Average = The average performance of this sire's progeny for the specified trait in the ASBP. The average is calculated using adjusted data (i.e. the standard adjustments for the age of the progeny and age of the dams). It is calculated using a least squares means (LSM) model which takes into account herd and contemporary group.

Rank = The ranking position of the sire within the specified cohort. The ranking order will depend on the trait. E.g. 200 Day weight ranked in descending order, while birth weight is ranked in ascending order.

The lists are sorted on sire name for the specified cohort.

The date the progeny performance values were produced is listed in the bottom left hand margin of the report. The reports will be regularly updated as further ASBP data is recorded and analysed.

Progeny Performance Traits and Interpretation

Separate sections for the following traits are included in the ASBP Progeny Performance listing:

Birth Weight: Weight of birth in kilograms recorded on both steer and heifer progeny. Sires are ranked in ascending order with lower values indicating lighter birth weight.

Gestation Length: Length of gestation in days recorded on both steer and heifer progeny. Sires are ranked in ascending order with lower values indicating shorter gestation length.



200 Day Weight: Weight at 200 days (i.e. weaning weight) in kilograms recorded on both steer and heifer progeny. Sires are ranked in descending order with higher values indicating more weight.

400 Day Weight: Weight at 400 days (i.e. yearling weight) in kilograms recorded on both steer and heifer progeny. Sires are ranked in descending order with higher values indicating more weight.

600 Day Weight: Weight at 600 days (i.e. 18 month weight) in kilograms recorded on both steer and heifer progeny. Sires are ranked in descending order with higher values indicating more weight.

Days to Calving: Length of days from bull introduction (i.e. bull in date) to calving. This is recorded on the heifer progeny for their first joining as yearlings. Sires are ranked in ascending order with lower values indicating shorter days to calving and improved female reproduction.

Scan Eye Muscle Area (EMA): Eye muscle area in cm² from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating larger eye muscle area.

Scan Rib Fat: Rib fat in mm from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating more fat over the ribs.

Scan Rump Fat: Rump (i.e. P8) fat in mm from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating more fat over the rump.

Scan Intramuscular Fat (IMF): Percentage of Intramuscular fat from ultrasound scanning both steer and heifer progeny at a standard 500 days of age. Sires are ranked in descending order with higher values indicating more intramuscular fat.

Carcase Weight: Weight of the hot standard carcass in kilograms at a standard 750 days of age recorded on steer progeny. Sires are ranked in descending order with higher values indicating more carcass weight.

Carcase Eye Muscle Area (EMA): Eye muscle area in cm² in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating larger eye muscle area.

Carcase Rump Fat: Subcutaneous fat measurement in mm at the P8 rump site in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating more rump fat.

Carcase Rib Fat: Subcutaneous fat measurement in mm at the 12th and 13th Rib site in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating more rib fat.

Carcase Intramuscular Fat (IMF): Percentage of Intramuscular fat (by near infrared spectrophotometry or NIR at the UNE meat science laboratory) in a standard 400 kg carcass measured on steer progeny. Sires are ranked in descending order with higher values indicating more intramuscular fat.

Net Feed Intake (NFI): Feed intake at a standard weight and rate of weight gain recorded on steer progeny at Tullimba Research Feedlot. NFI is expressed as kilograms of feed intake per day. Sires are ranked in ascending order with lower values indicating better feed efficiency through less feed intake for a standard weight and rate of gain.

Meat Standards Australia (MSA) Marbling Score: Marbling score recorded by the Meat Standards Australia (MSA) grader in the chiller on steer progeny based on a standard 400 kg carcass. Sires are ranked in descending order with higher values indicating more marbling in the carcass.

Meat Standards Australia (MSA) Ossification: Ossification score recorded by the Meat Standards Australia (MSA) grader in the chiller on steer progeny. Sires are ranked in ascending order with lower values indicating younger physiological maturity.

Meat Standards Australia (MSA) Index: The MSA Index is an indication of the overall eating quality of beef from the carcass as influenced by a range of factors such as marbling score and ossification. It is generated for steer progeny from the ASBP based on MSA grading data in the chiller. Sires are ranked in ascending order with higher values indicating higher eating quality.

Shear Force: Shear Force is a measurement in the kilograms of the force required to pull a mechanical blade through a piece of cooked beef from the striploin sample of the ASBP steer progeny. It is measured through the UNE meat science laboratory. Sires are ranked in ascending order with lower values indicating less shear force and more tender beef.

Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 14 - Birth Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
AISTHORPE LM TORNADO T10	QRB22T10	12	36.6	25
AJC S957	NXO21S957	21	35.5	18
ALLOURA SYNERGY S14	DGJ21S14	13	37.0	28
BOONAROO GENIUS Q63	HCAQ63	12	34.9	15
BOOROOMOOKA NEWLY S267	NGM21S267	19	34.3	9
DEVANAH TOLEDO T48	NJS22T48	29	34.2	5
DULVERTON SMART MISSILE S068	NGC21S068	21	34.5	12
DUNOON QUICK DRAW MCGRAW	BHRQ1163	23	35.0	16
GANDY FAIR N SQUARE T2	WKG22T2	22	34.2	5
GLENISA PATENT S073	QBV21S073	27	36.7	27
HARDHAT M518 TATUM T2	DKK22T2	29	36.4	22
HAZELDEAN RENEGADE R265	NHZR265	15	36.6	25
HILLS VIEW SAM S13	CBJ21S13	17	34.2	5
HOOVER ABOUT IT	USA20427019	22	34.2	5
KAKAHU S132	FCJ21S132	23	35.9	20
KNOWLA TOP NOTCH T72	BLA22T72	26	34.1	4
LANDFALL SUMMIT S1944	TFA21S1944	17	34.5	12
MANEROO PARTNERS S093	CHK21S093	21	36.4	22
MURDEDUKE PHEASANTRY T115	CSW22T115	7	36.3	21
NGAPUTAH R160	NZE21095020R160	25	36.5	24
RENNYLEA Q1077	NORQ1077	27	35.5	18
RIGA TAVERN T58	VKR22T58	10	31.7	1
SEVEN HILLS STERLING S52	FCD21S52	22	33.5	3
STERLING CONFIDENCE PLUS 804	USA19189229	27	34.5	12
STOKMAN SOLUTION S329	FAM21S329	28	33.1	2
STORTH OAKS ZEPHYR S19	FAF21S19	20	35.2	17
TE MANIA ROCCO R795	VTMR795	24	34.4	11
WRIGLEY SUPREME S2	JVC21S2	29	34.3	9

Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 14 - Gestation Length (days)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
AISTHORPE LM TORNADO T10	QRB22T10	11	279.0	9
AJC S957	NXO21S957	19	279.8	14
ALLOURA SYNERGY S14	DGJ21S14	14	278.9	7
BOONAROO GENIUS Q63	HCAQ63	13	279.1	10
BOOROOMOOKA NEWLY S267	NGM21S267	18	279.3	13
DEVANAH TOLEDO T48	NJS22T48	28	282.5	27
DULVERTON SMART MISSILE S068	NGC21S068	22	280.1	18
DUNOON QUICK DRAW MCGRAW	BHRQ1163	22	278.7	6
GANDY FAIR N SQUARE T2	WKG22T2	23	276.0	1
GLENISA PATENT S073	QBV21S073	25	280.0	16
HARDHAT M518 TATUM T2	DKK22T2	29	277.1	3
HAZELDEAN RENEGADE R265	NHZR265	14	282.6	28
HILLS VIEW SAM S13	CBJ21S13	18	280.8	22
HOOVER ABOUT IT	USA20427019	21	281.2	24
KAKAHU S132	FCJ21S132	22	281.9	25
KNOWLA TOP NOTCH T72	BLA22T72	24	278.9	7
LANDFALL SUMMIT S1944	TFA21S1944	18	278.1	5
MANEROO PARTNERS S093	CHK21S093	20	280.2	19
MURDEDUKE PHEASANTRY T115	CSW22T115	7	277.4	4
NGAPUTAH R160	NZE21095020R160	24	280.8	22
RENNYLEA Q1077	NORQ1077	26	280.0	16
RIGA TAVERN T58	VKR22T58	10	280.2	19
SEVEN HILLS STERLING S52	FCD21S52	21	279.8	14
STERLING CONFIDENCE PLUS 804	USA19189229	26	279.2	11
STOKMAN SOLUTION S329	FAM21S329	30	276.5	2
STORTH OAKS ZEPHYR S19	FAF21S19	22	279.2	11
TE MANIA ROCCO R795	VTMR795	23	280.4	21
WRIGLEY SUPREME S2	JVC21S2	26	281.9	25

Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 14 - 200 Day Weight (kg)

Sire Name	Sire ID	Number of Progeny	Progeny Average	Rank
AISTHORPE LM TORNADO T10	QRB22T10	12	235.9	14
AJC S957	NXO21S957	21	240.4	8
ALLOURA SYNERGY S14	DGJ21S14	15	243.8	3
BOONAROO GENIUS Q63	HCAQ63	13	240.2	9
BOOROOMOOKA NEWLY S267	NGM21S267	18	234.4	16
DEVANAH TOLEDO T48	NJS22T48	27	240.1	10
DULVERTON SMART MISSILE S068	NGC21S068	21	241.0	7
DUNOON QUICK DRAW MCGRAW	BHRQ1163	22	229.9	23
GANDY FAIR N SQUARE T2	WKG22T2	20	231.9	18
GLENISA PATENT S073	QBV21S073	26	244.0	2
HARDHAT M518 TATUM T2	DKK22T2	29	243.6	4
HAZELDEAN RENEGADE R265	NHZR265	14	229.2	24
HILLS VIEW SAM S13	CBJ21S13	17	231.5	19
HOOVER ABOUT IT	USA20427019	21	227.5	26
KAKAHU S132	FCJ21S132	20	237.0	12
KNOWLA TOP NOTCH T72	BLA22T72	26	238.1	11
LANDFALL SUMMIT S1944	TFA21S1944	17	230.2	22
MANEROO PARTNERS S093	CHK21S093	22	241.2	5
MURDEDUKE PHEASANTRY T115	CSW22T115	5	236.5	13
NGAPUTAH R160	NZE21095020R160	24	251.2	1
RENNYLEA Q1077	NORQ1077	26	232.9	17
RIGA TAVERN T58	VKR22T58	9	231.3	20
SEVEN HILLS STERLING S52	FCD21S52	21	227.9	25
STERLING CONFIDENCE PLUS 804	USA19189229	25	234.5	15
STOKMAN SOLUTION S329	FAM21S329	28	227.1	27
STORTH OAKS ZEPHYR S19	FAF21S19	20	241.1	6
TE MANIA ROCCO R795	VTMR795	24	231.2	21
WRIGLEY SUPREME S2	JVC21S2	28	225.3	28

UNDERSTANDING THE ASBP SIRE LISTING - PROGENY PERFORMANCE II

CATEGORICAL TRAITS

This listing provides an indication on how the sires are performing for several categorical (i.e. scored) traits within the ASBP, through their progeny.

For selection purposes it is strongly advised that the TACE EBVs and selection indexes listed in section 1 of the report be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.

Interpreting the ASBP Progeny Performance Listing



Angus Sire Benchmarking Program - Progeny Performance Report Cohort: 8 - Claw Set (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 5-6	Rank
AJC L172	NXOL172	33	36.4	30
ALLOURA LOCK STOCK & BARREL L94	DGJL94	10	40.0	28
BEN NEVIS JUDO J158	NBNJ158	5	60.0	12
BOOROOMOOKA LEROY L173	NGML173	25	44.0	25
BRIDGEWATER STIMULUS K65	BONK065	24	79.2	2
BROOKLANA INFINITY L39	AMQL39	25	52.0	18
CHILTERN PARK MARRIES M3	GTNM3	23	69.6	8

Number of progeny = Number of progeny the sire has recorded within the ASBP for the specified trait.

Progeny % = The percentage of ASBP progeny displaying the desirable score for the specified trait. The scores deemed ideal are listed in traits section below.

Rank = The ranking position (descending order) of the sire within the specified cohort.

The lists are sorted on sire name for the specified cohort. The date the progeny performance values were produced is listed in the bottom left hand margin of the report. The reports will be regularly updated as further ASBP data is recorded and analysed.

Progeny Performance Categorical Traits and Interpretation

Separate sections for the following traits are included in the ASBP Progeny Performance listing:

Docility: Percentage of progeny displaying a crush docility score, taken at weaning, of 1 or 1.5 (out of 5). Higher Progeny % values indicate a higher percentage of progeny with desirable temperament.

Claw Set: Percentage of progeny displaying a front feet claw set score, taken around 12 to 18 months of age, of 5 or 6 (out of the 1 to 9 scoring range). Higher Progeny % values indicate a higher percentage of progeny with structure of optimal score for front foot claw set.

Foot Angle: Percentage of progeny displaying a front feet angle score, taken around 12 to 18 months or age, of 5 or 6 (out of the 1 to 9 scoring range). Higher Progeny % values indicate a higher percentage of progeny with structure of optimal score for front feet angle.

Coat Type: Percentage of progeny displaying a coat type score, taken around 12 to 18 months or age, of 1, 1.5 or 2 (out of 7). Higher Progeny % values indicate a higher percentage of slick coated progeny.

Further information on the scoring systems are available from the Angus Education Centre - <https://www.angusaustralia.com.au/education/>

Angus Sire Benchmarking Program - Progeny Performance Report

Cohort: 14 - Docility (Score)

Sire Name	Sire ID	Number of Progeny	Progeny % Score 1-1.5	Rank
AISTHORPE LM TORNADO T10	QRB22T10	12	50.0	23
AJC S957	NXO21S957	21	81.0	3
ALLOURA SYNERGY S14	DGJ21S14	15	60.0	16
BOONAROO GENIUS Q63	HCAQ63	13	46.2	25
BOOROOMOOKA NEWLY S267	NGM21S267	20	65.0	14
DEVANAH TOLEDO T48	NJS22T48	27	77.8	5
DULVERTON SMART MISSILE S068	NGC21S068	23	73.9	8
DUNOON QUICK DRAW MCGRAW	BHRQ1163	22	40.9	28
GANDY FAIR N SQUARE T2	WKG22T2	21	81.0	3
GLENISA PATENT S073	QBV21S073	26	57.7	18
HARDHAT M518 TATUM T2	DKK22T2	29	55.2	21
HAZELDEAN RENEGADE R265	NHZR265	14	71.4	11
HILLS VIEW SAM S13	CBJ21S13	18	66.7	13
HOOVER ABOUT IT	USA20427019	21	42.9	27
KAKAHU S132	FCJ21S132	20	55.0	22
KNOWLA TOP NOTCH T72	BLA22T72	26	88.5	1
LANDFALL SUMMIT S1944	TFA21S1944	17	64.7	15
MANEROO PARTNERS S093	CHK21S093	22	72.7	10
MURDEDUKE PHEASANTRY T115	CSW22T115	5	60.0	16
NGAPUTAH R160	NZE21095020R160	24	75.0	7
RENNYLEA Q1077	NORQ1077	26	73.1	9
RIGA TAVERN T58	VKR22T58	10	70.0	12
SEVEN HILLS STERLING S52	FCD21S52	21	76.2	6
STERLING CONFIDENCE PLUS 804	USA19189229	25	48.0	24
STOKMAN SOLUTION S329	FAM21S329	28	57.1	19
STORTH OAKS ZEPHYR S19	FAF21S19	20	45.0	26
TE MANIA ROCCO R795	VTMR795	24	87.5	2
WRIGLEY SUPREME S2	JVC21S2	28	57.1	19

UNDERSTANDING THE ASBP SIRE LISTING - PROGENY PERFORMANCE SUMMARY TABLE

This listing provides an indication of how the sires are performing within the ASBP. *The values listed can only be validly used to compare sires within each cohort of the ASBP.*

For selection purposes it is strongly advised that the EBVs and selection indexes listed in section 1 of the report be used primarily. They are the highest accuracy information to use in selection as they take into account all available industry data including the data generated from the ASBP. They also account for information from all known relatives and genetic correlations between traits as well as being able to be compared across cohorts and the Angus population.

Interpreting the ASBP Progeny Performance Summary Table

Angus Sire Benchmarking Program - Cohort 3 Summary of Progeny Averages (rank)												
Sire ID Name	BW	GL	WW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	
DGJF27 ALLOURA FOURTH DIMENSION F27	34.1 (1)	282.8 (23)	192.1 (35)	359.3 (40)	512.9 (36)	300.7 (16)	66.0 (15)	8.5 (1)	10.8 (1)	6.4 (1)	426.6 (36)	8
DGJG19 ALLOURA GET UP-AND-GO G19	37.0 (15)	283.0 (24)	202.7 (17)	396.7 (13)	537.3 (21)	290.1 (1)	64.9 (26)	7.8 (8)	10.0 (14)	5.4 (24)	432.3 (31)	
CGKE9 ALPINE EXTRA SPECIAL E9	37.1 (18)	279.1 (4)	190.7 (39)	370.2 (37)	515.0 (34)	316.6 (40)	62.4 (39)	5.8 (40)	7.7 (39)	4.9 (40)	434.6 (30)	8
WJMF96 ARDCAIRNIE F96	36.2 (7)	281.7 (17)	198.9 (21)	390.3 (18)	551.2 (10)	310.5 (37)	69.0 (2)	7.7 (10)	10.1 (11)	5.6 (12)	465.0 (11)	
NBBG117 BALD BLAIR NEW DESIGN G117	36.3 (9)	282.1 (20)	197.0 (29)	397.5 (11)	544.0 (12)	302.1 (22)	67.0 (11)	7.4 (18)	9.3 (28)	5.0 (39)	453.4 (19)	
WMYF3 BLACKROCK F3	36.5 (10)	279.0 (3)	204.3 (11)	388.2 (22)	555.2 (8)	301.5 (19)	67.2 (9)	7.6 (14)	10.3 (8)	5.7 (10)	479.1 (2)	
NGMF510 BOOROOMOOKA FRANKEL F510	40.3 (39)	281.3 (14)	200.3 (20)	405.9 (3)	555.5 (7)	304.1 (26)	65.8 (16)	7.3 (20)	10.1 (11)	5.4 (24)	444.3 (26)	

Progeny Average = The average performance of this sires progeny for the specified trait in the ASBP. The average is calculated using adjusted data (i.e. the standard adjustments for the age of the progeny and age of the dams). It is calculated using a least squares means (LSM) model which takes into herd and contemporary group.

Rank = The ranking position of the sire within the specified cohort (in brackets). The ranking order will depend on the trait. E.g. 200 Day weight ranked in descending order, while birth weight is ranked in ascending order.

For easy interpretation colour coding has been applied to the ranking being:

- Rank 1 to 5 (dark green with white text). E.g.

34.1 (1)

- Rank 6 to 10 (light green with black text). E.g.

36.5 (10)

The definition of the traits are detailed in the previous section of this report titled “Understanding the ASBP Progeny Performance Listing”

The table is sorted on sire name for the specified cohort.

The date the progeny performance values were produced is listed in the bottom left hand margin of the report. The reports will be regularly updated as further ASBP data is recorded and analysed.



Angus Sire Benchmarking Program - Cohort 14

Summary of Progeny Averages (rank)

Sire ID Name	BW	GL	WW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	CARC EMA	CARC IMF	NFI-f	MSA MBL	MSA OSS	MSA IND	DOC	CLAW	ANGLE	CT
QRB22T10 AISTHORPE LM TORNADO T10	36.6 (25)	279.0 (9)	235.9 (14)															50.0 (23)			
NXO21S957 AJC S957	35.5 (18)	279.8 (14)	240.4 (8)															81.0 (3)			
DGJ21S14 ALLOURA SYNERGY S14	37.0 (28)	278.9 (7)	243.8 (3)															60.0 (16)			
HCAQ63 BOONAROO GENIUS Q63	34.9 (15)	279.1 (10)	240.2 (9)															46.2 (25)			
NGM21S267 BOOROOMOOKA NEWLY S267	34.3 (9)	279.3 (13)	234.4 (16)															65.0 (14)			
NJS22T48 DEVANAH TOLEDO T48	34.2 (5)	282.5 (27)	240.1 (10)															77.8 (5)			
NGC21S068 DULVERTON SMART MISSILE S068	34.5 (12)	280.1 (18)	241.0 (7)															73.9 (8)			
BHRQ1163 DUNOON QUICK DRAW MCGRAW Q1163	35.0 (16)	278.7 (6)	229.9 (23)															40.9 (28)			
WKG22T2 GANDY FAIR N SQUARE T2	34.2 (5)	276.0 (1)	231.9 (18)															81.0 (3)			
QBV21S073 GLENISA PATENT S073	36.7 (27)	280.0 (16)	244.0 (2)															57.7 (18)			
DKK22T2 HARDHAT M518 TATUM T2	36.4 (22)	277.1 (3)	243.6 (4)															55.2 (21)			
NHZR265 HAZELDEAN RENEGADE R265	36.6 (25)	282.6 (28)	229.2 (24)															71.4 (11)			
CBJ21S13 HILLS VIEW SAM S13	34.2 (5)	280.8 (22)	231.5 (19)															66.7 (13)			
USA20427019 HOOVER ABOUT IT	34.2 (5)	281.2 (24)	227.5 (26)															42.9 (27)			
FCJ21S132 KAKAHU S132	35.9 (20)	281.9 (25)	237.0 (12)															55.0 (22)			
BLA22T72 KNOWLA TOP NOTCH T72	34.1 (4)	278.9 (7)	238.1 (11)															88.5 (1)			
TFA21S1944 LANDFALL SUMMIT S1944	34.5 (12)	278.1 (5)	230.2 (22)															64.7 (15)			
CHK21S093 MANEROO PARTNERS S093	36.4 (22)	280.2 (19)	241.2 (5)															72.7 (10)			
CSW22T115 MURDEDUKE PHEASANTRY T115	36.3 (21)	277.4 (4)	236.5 (13)															60.0 (16)			
NZE21095020R160 NGAPUTAHU R160	36.5 (24)	280.8 (22)	251.2 (1)															75.0 (7)			
NORQ1077 RENNYLEA Q1077	35.5 (18)	280.0 (16)	232.9 (17)															73.1 (9)			
VKR22T58 RIGA TAVERN T58	31.7 (1)	280.2 (19)	231.3 (20)															70.0 (12)			



Angus Sire Benchmarking Program - Cohort 14

Summary of Progeny Averages (rank)

Sire ID Name	BW	GL	WW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	CARC EMA	CARC IMF	NFI-f	MSA MBL	MSA OSS	MSA IND	DOC	CLAW	ANGLE	CT
FCD21S52 SEVEN HILLS STERLING S52	33.5 (3)	279.8 (14)	227.9 (25)															76.2 (6)			
USA19189229 STERLING CONFIDENCE PLUS 804	34.5 (12)	279.2 (11)	234.5 (15)															48.0 (24)			
FAM21S329 STOKMAN SOLUTION S329	33.1 (2)	276.5 (2)	227.1 (27)															57.1 (19)			
FAF21S19 STORTH OAKS ZEPHYR S19	35.2 (17)	279.2 (11)	241.1 (6)															45.0 (26)			
VTMR795 TE MANIA ROCCO R795	34.4 (11)	280.4 (21)	231.2 (21)															87.5 (2)			
JVC21S2 WRIGLEY SUPREME S2	34.3 (9)	281.9 (25)	225.3 (28)															57.1 (19)			