

An advanced genomic tool to inform the selection of replacement heifers for commercial Angus breeders







zoetis

A product of Angus Australia, developed with CSIRO and delivered in collaboration with Zoetis and Neogen





# DEVELOPED FOR AUSTRALIAN & NEW ZEALAND ANGUS CATTLE

## What is Angus HeiferSELECT

Angus HeiferSELECT is a genomic selection tool to help inform the selection of Angus replacement females (87.5% Angus content or greater) in a commercial beef breeding operation.

Angus HeiferSELECT provides:

- Genetic predictions for fourteen (14) maternal, fertility, growth, feed intake, carcase and resilience traits
- Genetic prediction for cow-calf value, feedlot-carcase value and total breeding value (with star rating)
- Angus BreedCHECK genomic breed composition prediction
- Sire verification

Angus HeiferSELECT complements other sources of information that may be used in commercial replacement heifer selection, such as phenotypic evaluation, age, weight and pedigree information, and provides valuable insight into the genetic potential of heifers, particularly for traits that are otherwise difficult, time consuming or expensive to measure using traditional methods.

 $\,\,^{^{\diamond}}$  Optional - Possible sires must be registered with Angus Australia and have genomic profiles available

## **Benefits of Angus HeiferSELECT**

Angus HeiferSELECT facilitates superior selection decisions when managing the genetics in a commercial Angus beef breeding enterprise.

#### • Selecting Replacement Females

Identify females who possess genetics that are most aligned with your breeding objective, and who are the most suitable to retain as replacement heifers.

#### · Culling Decisions

Identify females that are genetically inferior and who are the best choice for culling

#### • Understanding Breed Composition

Utilise Angus BreedCHECK information to understand the breed composition of your potential replacement heifers

#### • Inform Bull Purchasing Decisions

Utilise results from heifers tested with Angus HeiferSELECT to better understand the genetics in your herd, and identify the priorities for your next bull purchasing decision.

#### • Understanding Bull Reproductive Performance

Use sire information to identify those bulls in your sire team that have produced low numbers of progeny, and remove these bulls from your breeding program.

#### · Management of Inbreeding

Use sire information to avoid inbreeding and the associated depression in performance

#### Marketing Decisions

Utilise results from heifers tested with Angus HeiferSELECT to help inform commercial marketing opportunities of surplus heifers or future steer progeny

#### Compatible with BVDV Testing

Add-on BVDV testing facilitates the identification of animals persistently infected with Bovine Virus Diarrhoea Virus (also known as Bovine Pestivirus)

# DEVELOPED SPECIFICALLY FOR AUSTRALIAN AND NEW ZEALAND ANGUS CATTLE AND PRODUCTION SYSTEMS

Through utilisation of Angus Australia's genomic and phenotypic database, Angus HeiferSELECT provides the most accurate genetic predictions possible for the selection of commercial Australian and New Zealand Angus females.

Angus HeiferSELECT genetic predictions are calculated based on analysis of Angus Australia's extensive genomic and phenotypic database. Collated over many years, this database combines the DNA profiles of Australian and New Zealand Angus animals with comprehensive performance measurements collected in their respective beef production systems.

Modern scientific knowledge, developed by CSIRO, enables the association between the DNA profiles and performance measurements to be analysed, and genetic predictions to be calculated from the DNA profiles of the heifers tested with Angus HeiferSELECT.



# **Understanding Angus HeiferSELECT Results**

Angus HeiferSELECT provides genetic predictions for fourteen (14) maternal, fertility, growth, feed intake, carcase and resilience traits, along with genetic prediction for cow-calf value, feedlot-carcase value and total breeding value (with star rating).

Angus HeiferSELECT genetic predictions are reporting using an intuitive 0 - 100 scoring system, with a score of 50 representing the average genetic merit of commercial Angus heifers tested with the Angus HeiferSELECT product.

Higher values identify females carrying genetics that will produce "more" of a trait, which may or may not be preferred, subject to your breeding objective. For example, a female with a Yearling Weight genetic prediction of 80 would be expected to produce progeny that are heavier at 13-14 months of age than a female with a Yearling Weight genetic prediction of 30, all other things being equal.

Similarly, higher HC genetic predictions indicate the animal is expected to produce daughters that are more likely to conceive and conceive earlier as heifers (older foetal age at pregnancy diagnosis).

|                 | Trait              | Description  |  |  |  |  |  |  |  |
|-----------------|--------------------|--|--|--|--|--|--|--|--|
|                 | Calving Ease       | Higher Calving Ease (CE) genetic predictions indicate the animal is expected to experience lower birth weight and fewer calving difficulties (i.e. greater calving ease).  |  |  |  |  |  |  |  |
|                 | Weaning Weight     | Higher Weaning Weight (WW) genetic predictions indicate the animal is expected to produce progeny with heavier live weights at 200 days of age, due to superior growth potential.  |  |  |  |  |  |  |  |
| Traits          | Milk               | Higher Milk genetic predictions indicate the animal is expected to produce progeny with heavier live weights at 200 days of age, due to superior maternal attributes (i.e. more milk).   |  |  |  |  |  |  |  |
| Cow-Calf Traits | Yearling Weight    | Higher Yearling Weight (YW) genetic predictions indicate the animal is expected to produce progeny with heavier live weights at 400 days of age.   |  |  |  |  |  |  |  |
| ŭ               | Mature Cow Weight  | Higher Mature Cow Weight (MCW) genetic predictions indicate the animal is expected to have a heavier weight at 3.5 years of age, and produce female progeny that are heavier. Heavier mature weights are associated with higher feed and maintenance costs, but conversely higher returns for cull cows. |  |  |  |  |  |  |  |
|                 | Heifer Conception  | Higher Heifer Conception (HC) genetic predictions indicate the animal is expected to produce daughters that are more likely to conceive and conceive earlier as heifers (older foetal age at pregnancy diagnosis), than those with lower values.   |  |  |  |  |  |  |  |
| : Traits        | Average Daily Gain | Higher Average Daily Gain (ADG) genetic predictions indicate the animal is expected to produce progeny with higher rates of weight gain during feedlot finishing, due to superior growth potential.  |  |  |  |  |  |  |  |
| Feedlot Traits  | Daily Feed Intake  | Higher Daily Feed Intake (DFI) genetic predictions indicate the animal is expected to produce progeny that eat more during feedlot finishing, and may be considered less efficient.  |  |  |  |  |  |  |  |
| its             | Carcase Weight     | Higher Carcase Weight (CW) genetic predictions indicate the animal is expected to produce progeny with heavier carcase weights.  |  |  |  |  |  |  |  |
| Carcase Traits  | Eye Muscle Area    | Higher Eye Muscle Area (EMA) genetic predictions indicate the animal is expected to produce progeny with more muscle and larger eye muscle area.   |  |  |  |  |  |  |  |
| Card            | Rib Fat            | Higher Rib Fat (RIB) genetic predictions indicate the animal is expected to produce progeny with greater fat depth.  |  |  |  |  |  |  |  |

|                | Trait                 | Description   |
|----------------|-----------------------|---|
| Traits         | MSA Marbling          | Higher MSA Marbling (MBL) genetic predictions indicate the animal is expected to produce progeny with higher marbling scores and more intramuscular fat   |
| Carcase Traits | Ossification          | Higher Ossification (OSS) genetic predictions indicate the animal is expected to produce progeny with higher levels of ossification, or physiological maturity, in the carcase which is antagonistic to eating quality. |
| Resilience     | ImmuneDEX             | Higher ImmuneDEX (IMM) genetic predictions indicate the animal is expected to produce progeny with higher levels of general disease resilience, as measured by cell-mediated and antibody mediated immune response.     |
|                | Cow-Calf Value        | Higher Cow-Calf Value genetic predictions identifies animals that will improve profitability through the traits related to the cow-calf production system.  |
| all Value      | Feedlot-Carcase Value | Higher Feedlot-Carcase Value genetic predictions identifies animals that will improve profitability for the traits related to feedlot and processor performance, along with consumer expectations.                      |
| Overall        | Total Breeding Value  | Higher Total Breeding Value genetic predictions identifies animals that will improve overall profitability in the majority of commercial, self-replacing, grain finishing beef production system.                       |
|                | HeiferSELECT Stars    | Presents Total Breeding Value as an easy to understand $0-5$ star rating, with more stars representing animals with higher Total Breeding Value   |



#### **Balanced Selection**

Angus HeiferSELECT provides three values based on economic selection index modelling being:

• **Cow-Calf Value**: Cow-Calf Value (CCV) estimates the genetic differences between animals in net profitability in a typical commercial Angus self replacing herd, focusing on the traits related to the cow-calf production system.

The Cow-Calf Value assists in making "balanced" selection decisions, taking into account the relevant calving ease, growth and maternal attributes to identify animals that are most suitable for use within a particular commercial enterprise.

Higher Cow-Calf Value genetic predictions identifies animals that will improve profitability through the traits related to the cow-calf production system.

The Cow-Calf Value is a sub-index (i.e. component) of the Total Breeding Value.

• **Feedlot-Carcase Value**: Feedlot-Carcase Value (FCV) estimates the genetic differences between animals in net profitability in a typical commercial Angus self-replacing herd, focusing on the traits related to feedlot and processor performance, along with consumer expectations.

The Feedlot-Carcase Value assists in making "balanced" selection decisions, taking into account the relevant growth, feed intake and carcase attributes to identify animals that are most suitable for use within a particular commercial enterprise.

Higher Feedlot-Carcase Value genetic predictions identifies animals that will improve profitability for the traits related to feedlot and processor performance, along with consumer expectations.

The Feedlot-Carcase Value is a sub-index (i.e. component) of the Total Breeding Value.

• **Total Breeding Value**: Total Breeding Value (TBV) estimates the genetic differences between animals in net profitability in a typical commercial Angus self-replacing herd with progeny entering the grain finishing supply chain.


The Total Breeding Value assists in making "balanced" selection decisions, taking into account the relevant calving ease, growth, feed intake and carcase attributes to identify animals that are most suitable for use within a particular commercial enterprise.

Higher Total Breeding Value genetic predictions identifies animals that will improve overall profitability in the majority of commercial, self-replacing, grain finishing beef production system.


The Cow-Calf Value and Feedlot-Carcase value are sub-indexes (i.e. components) of the Total Breeding Value.

# Additional notes to interpret the CCV, FCV and TBV emphasis graphs:


- · The weighting emphases shown are based on an average commercial Angus heifer and herd.
- There are several non-linear trait functions included, specifically for calving ease, milk and marbling. For this reason, the trait emphases will vary slightly depending on the genetic prediction value for the animal. For example, a heifer with lower calving ease genetic predictions will see more emphasis applied to calving ease in the CCV and TBV calculations.
   Growth-Feedlot
   Bib Fat
   MSA Marbling
- · Growth Post Weaning: includes weaning weight and yearling weight genetic predictions
- · Growth Feedlot: includes yearling weight and carcase weight genetic predictions



Trait Emphasis for the Cow-Calf Value (CCV)



Trait Emphasis for the Feedlot-Carcase Value (FCV)



Trait Emphasis for the Total Breeding Value (TBV)

## **Angus HeiferSELECT Genetic Effects Table**

The Angus HeiferSELECT genetic effects table enables you to assess genetic differences between heifers tested with Angus HeiferSELECT in real terms by providing the predicted genetic difference per ten (10) unit change in Angus HeiferSELECT value.

|            | Angus HeiferSELECT Genetic Effects Table |            |            |              |               |                 |                 |            |              |             |                |                |             |             |             |
|------------|--|------------|------------|--------------|---------------|-----------------|-----------------|------------|--------------|-------------|----------------|----------------|-------------|-------------|-------------|
| CE<br>(kg) | WW<br>(kg)                               | YW<br>(kg) | MW<br>(kg) | Milk<br>(kg) | HC<br>(weeks) | ADG<br>(kg/day) | DFI<br>(kg/day) | CW<br>(kg) | EMA<br>(cm2) | RIB<br>(mm) | MBL<br>(score) | OSS<br>(score) | CCV<br>(\$) | FCV<br>(\$) | TBV<br>(\$) |
| -0.67      | 3.12                                     | 3.73       | 6.47       | 1.22         | 0.54          | 0.02            | 0.19            | 5.22       | 1.31         | 0.56        | 15.24          | 1.69           | 30.54       | 34.07       | 37.79       |

The genetic effects table can be used to predict the difference in progeny performance between two females. For example, a female with a Carcase Weight genetic prediction of 80 would be expected to produce progeny that are, on average, 13.05 kg heavier at around 2 years of ag, compared to a female with a Carcase Weight genetic prediction of 30, all other things being equal.

[Working: 5.22 kg genetic difference per 10 unit HeiferSELECT value, 26.1 kg ( $5.22 \times 5$ ) genetic difference per 50 unit HeiferSELECT value, 13.05 kg (26.1 / 2) progeny difference (as females only contribute half of the genetics to the progeny, with the remainder coming from the sire to which they are joined)]

#### Also note:

- · Calving Ease is presented in birth weight units of kgs, with higher CE genetic predictions resulting in lower birth weight, a major contributor to overall calving ease.
- The CCV, FCV and TBV are based of economic modelling underpinned by current day parameters therefore Australian dollar (\$) units apply.



Angus BreedCHECK is a genomic (DNA) based system that estimates breed composition (from 11 breeds), with a particular focus on Angus content.



Heifers that are 87.5% (or 7/8th) or greater Angus content receive the Angus BreedCHECK tick.



Heifers that are below 87.5% Angus content are flagged with an Angus BreedCHECK cross and provided with additional information to further understand their breed background.

This includes the percentage (%) content value estimate for:

- · Angus
- · Non-Angus
- · British (including Angus, Hereford, Shorthorn and Murray Grey)
- · Indicus (including Brahman and Santa Gertrudis)
- · European (including Charolais, Simmental and Limousin)
- · Dairy (Holstein)
- · Wagyu

Angus HeiferSELECT genetic predictions are provided on all animals that are greater than 50% Angus content. Caution should be applied when using the Genetic Predictions for animals less than 87.5% Angus as the associated reference population is based on straight bred Angus animals.




# Powerful Online Report Centre

Angus HeiferSELECT results are made available via a powerful reporting facility on the Angus Australia website.


The Angus HeiferSELECT reporting facility enables you to view, search, sort, and analyse the Angus HeiferSELECT results for your females. Results can also be exported in csv format for upload into programs such as Microsoft Excel, or downloaded in a series of print friendly pdf reports.

|     | <b>↓</b> ↑ | <b>↓</b> ↑ | G       | <b>↓</b> ↑       | <b>↓</b> ↑ | <b>↓</b> ↑ | <b>↓</b> ↑ | <b>↓</b> ↑ | <b>↓</b> ↑ | ļĵ | 11  | 11  | <b>↓</b> ↑ | ŢŢ  | 11  | <b>↓</b> ↑ | ŢŢ  | <b>↓</b> ↑ | <b>↓</b> ↑ | Ţţ  | <b>↓</b> ↑ | <b>1</b> 1         |  |
|-----|------------|------------|---------|------------------|------------|------------|------------|------------|------------|----|-----|-----|------------|-----|-----|------------|-----|------------|------------|-----|------------|--------------------|--|
| □ ▼ | ID         | Year       | Sire ID | Angus BreedCHECK | CE         | ww         | YW         | Milk       | MCW        | НС | ADG | DFI | CWT        | EMA | RIB | MBL        | oss | IMM        | ccv        | FCV | TBV        | HeiferSELECT Stars |  |
|     | PBHR1225   | 2020       | NWPL290 | <b>@</b>         | 30         | 59         | 53         | 61         | 36         | 81 | 59  | 60  | 60         | 38  | 46  | 32         | 57  | 63         | 68         | 39  | 46         | ****               |  |
|     | PBHR1627   | 2020       | NWPL290 |                  | 48         | 83         | 71         | 77         | 38         | 53 | 55  | 50  | 54         | 42  | 54  | 76         | 50  | 35         | 87         | 62  | 74         | ****               |  |
|     | PBHR1265   | 2020       | NWPL290 | <b>@</b>         | 41         | 71         | 72         | 49         | 80         | 68 | 53  | 62  | 59         | 68  | 66  | 67         | 71  | 27         | 64         | 62  | 66         | ****               |  |
|     | PBHR1953   | 2020       | NWPL290 | <b>6</b>         | 40         | 51         | 73         | 70         | 72         | 60 | 26  | 23  | 44         | 62  | 20  | 44         | 63  | 12         | 50         | 70  | 68         | ****               |  |
|     | PBHR1956   | 2020       | NWPL290 |                  | 41         | 51         | 37         | 38         | 59         | 65 | 37  | 46  | 54         | 67  | 57  | 85         | 72  | 37         | 49         | 68  | 67         | ****               |  |

Angus HeiferSELECT results are displayed in a user friendly, easy to read format



Heifers with superior genetics can be easily identified using interactive slider bars to set desired selection



Trait comparison and distribution plots enable thorough analysis of Angus HeiferSELECT results





Angus HeiferSELECT is available direct from Angus Australia or via two collaborators:

#### Angus Australia

angusaustralia.com.au Phone: (02) 6773 4600

Email: office@angusaustralia.com.au



PRODUCTS | Zoetis GENETICS

Phone: 1300 768 400

Email: genetics.au@zoetis.com

#### Neogen Australasia

neogenaustralasia.com.au Phone: (07) 3736 2134 Email: naa-lab@neogen.com







The below details the ordering process when ordering Angus HeiferSELECT directly from Angus Australia. If you have any questions regarding this process, please do not hesitate to contact our office. The ordering process via Zoetis and Neogen may vary to the Angus Australia process.

## **Getting Ready**

Before ordering Angus HeiferSELECT tests, you should:

- Determine when results will be required by, noting that there is a 6-8-week turnaround time from when samples are received.
- Ensure that you are a current, financial member of Angus Australia and have nominated that you wish to utilise Angus Australia's genetic evaluation services.

Membership application forms are available from the Angus Australia website, or by contacting staff at Angus Australia on +61 2 6773 4600.

- Obtain an Angus HeiferSELECT Order Form. Order forms can be downloaded from the Angus Australia website.
- Obtain DNA sample collection kits from either Angus Australia, Zoetis Animal Genetics or Neogen Australasia.

DNA samples can be provided as either tail hair, or tissue using the Allflex Tissue Sampling Unit (TSU) technology.

 Ensure that a DNA profile is recorded with Angus Australia for the sires of any heifers for which you wish to obtain DNA sire verification.

# Animals for which Angus HeiferSELECT can be ordered

Angus HeiferSELECT tests can be ordered for straight-bred, Angus Heifers (recommended for Heifers that are 87.5% or greater Angus content).

Angus HeiferSELECT tests cannot be ordered for animals that have been previously recorded with Angus Australia, such as animals recorded on the HBR, APR, ACR or MBR registers.

## **Collecting DNA Samples**

DNA samples can be provided for Angus HeiferSELECT testing as either tail hair, or tissue using the Allflex Tissue Sampling Unit (TSU). All samples must be provided in the appropriate DNA sample collector kits.

DNA sample collector kits are available from Angus Australia (tail hair only), Zoetis (TSU and tail hair) and Neogen (TSU only).

Further information regarding the collection of DNA Samples can be found in the Angus Education Centre.

# Ordering Angus HeIFERSELECT Tests

Once you have collected DNA samples and completed the Angus HeiferSELECT Order Form:

- A copy of the order form should be emailed to dna@ angusaustralia.com.au
- A printed copy of the order form, and the DNA samples should be mailed to:

Angus Australia Locked Bag 11 ARMIDALE NSW 2350

Angus HeiferSELECT results will be available approximately 6-8 weeks after the order form is received at Angus Australia.

# Nominating the DNA Testing Laboratory

The DNA testing required for Angus HeiferSELECT can be conducted by either Zoetis Animal Genetics or Neogen Australasia. A designated Angus HeiferSELECT Order Form for both laboratories are available for download from the Angus Australia website.

Fees and turnaround time for Angus HeiferSELECT may vary subject to the DNA laboratory that is utilised.

For a listing of the latest fees, refer to fee schedule available on the Angus Australia website.

## Sire Verification

DNA sire verification is available as part of Angus HeiferSELECT providing the sires are registered with Angus Australia and have a genomic profile available.

In many cases, a genomic (DNA) profile will have previously been recorded with Angus Australia for your sires (by the breeder or a previous owner) and can be used to conduct the DNA sire identification component of the Angus HeiferSELECT testing.

Details of whether a DNA profile is stored for each registered sire can be viewed on the Angus Database Search facility on the Angus Australia website.

If a genomic profile has not previously been recorded, you can collect a DNA sample for the sire and request a genomic profile from Angus Australia. DNA test request forms are available from the Angus Australia website.

DNA tests can only be ordered for animals that you own, and so you will need to ensure that all registered bulls have been transferred into your ownership on the Angus Australia database prior to requesting the genomic profile.



## Add On Testing - BVDV

BVDV testing can be conducted in association with Angus HeiferSELECT as an optional add-on from both Zoetis (TSU samples only) and Neogen (TSU and tail hair samples).

If BVDV testing is required, this should be nominated on the order form. Angus HeiferSELECT and BVDV testing can be conducted from the same DNA sample.

# Receiving Angus HEIFERSELECT Results

Angus HeiferSELECT results are reported via a powerful online reporting facility on the Angus. Tech platform.

To access results for your herd, you need to sign into the Angus. Tech platform using a username, usually your mobile phone number, email address or Angus Australia member ID, and a password.

If you do not have an existing username linked to your Angus Australia Member ID, a username and password will be forwarded to you shortly after your Angus HeiferSELECT order is received.

The Angus HeiferSELECT reporting facility enables you to view, search, sort, and analyse the Angus HeiferSELECT results for your females. Results can also be exported in csv format for upload into programs such as Microsoft Excel or downloaded in a series of print friendly pdf reports.

Angus HeiferSELECT results are generated every night.

# Invoicing for Angus HEIFERSELECT Testing

Invoices will be generated for Angus HeiferSELECT tests shortly after the order form and samples are received at Angus Australia. Invoices are generated based on the number Angus HeiferSELECT tests requested, and still apply if results cannot be generated for an individual Heifer. For example, if the DNA result for a Heifer reveals that he is 50% or less Angus content.

### **Further Information**

To further discuss the utilisation of Angus HeiferSELECT in your enterprise, please contact:

Angus Australia – (02) 6773 4600 · Zoetis Animal Cenetics – 1300 768 400 · Neogen Australasia – (07) 3736 2134









**A ⊗ O © ⊕** www.angusaustralia.com.au